

2025

ICD-10-CM Diagnosis Codes

RELATED TO SPEECH, LANGUAGE, AND
SWALLOWING DISORDERS



ASHA

Speech-Language Pathology
Dedicated to Advancing the Profession
of Speech-Language Pathology

General Information

The American Speech-Language-Hearing Association (ASHA) developed this curated list of *2025 International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)* diagnosis codes for speech-language pathologists (SLPs) reporting speech, language, communication, and swallowing disorders. **The 2025 ICD-10-CM is effective October 1, 2024.**

This resource is **not** exhaustive, and a number of codes and sections are included for information purposes only. Entries with only three or four digits may require coding to a higher degree of specificity than indicated here. However, in general, speech-language pathology related diagnoses are listed to their highest level of specificity.

Visit ASHA's coding and payment website for additional ICD-10-CM resources at www.asha.org/Practice/reimbursement/coding/ICD-10/.

For a list of new and revised ICD-10-CM codes effective October 1, 2024, see www.asha.org/Practice/reimbursement/coding/New-and-Revised-ICD-10-CM-Codes-for-SLP/.

For additional information, contact the health care and education policy team at reimbursement@asha.org.

Table of Contents

General Information	1
ICD-10-CM Diagnosis Codes	3
Overview.....	3
Scope	3
Purpose	3
Relation to Professional Scope of Practice	3
Official ICD-10-CM Resources.....	3
ASHA Resources.....	3
Instructional Notations	4
ICD-10-CM Tabular List of Diseases and Injuries	5
Ch. 1: Certain infectious and parasitic diseases (A00-B99).....	5
Ch. 2: Neoplasms (C00-D49).....	5
Ch. 4: Endocrine, nutritional and metabolic diseases (E00-E89).....	8
Ch. 5: Mental, behavioral, and neurodevelopmental disorders (F01-F99)	8
Ch. 6: Diseases of the nervous system (G00-G99)	18
Ch. 9: Diseases of the circulatory system (I00-I99)	25
Ch. 10: Diseases of the respiratory system (J00-J99).....	32
Ch. 11: Diseases of the digestive system (K00-K95).....	35
Ch. 13: Diseases of the musculoskeletal system and connective tissue (M00-M99)	37
Ch. 16: Certain conditions originating in the perinatal period (P00-P96).....	41
Ch. 17: Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99).....	42
Ch. 18: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99).....	48
Ch. 19: Injury, poisoning and certain other consequences of external causes (S00-T88).....	56
Ch. 20: External causes of morbidity (V00-Y99).....	70
Ch. 21: Factors influencing health status and contact with health services (Z00-Z99).....	70
Ch. 22: Codes for special purposes (U00-U85).....	82
ICD-10-PCS (Procedure Coding System)	83

ICD-10-CM Diagnosis Codes

Overview

The **International Classification of Diseases, 10th Revision (ICD-10)** is the official system to assign health care codes describing diagnoses and procedures in the United States (U.S). The **ICD** is also used to code and classify mortality data from death certificates.

The ICD-10 includes the ICD-10-CM (clinical modification) and ICD-10-PCS (procedure coding system). The World Health Organization (WHO) owns the ICD-10. The Centers for Disease Control & Prevention developed the clinical modification for use in all U.S. health care settings. The Centers for Medicare & Medicaid Services (CMS) developed the procedure coding system (ICD-10-PCS) for use in the U.S. for inpatient hospital settings only. **This resource includes only speech-language pathology related ICD-10-CM codes.**

Scope

ICD-10-CM standardizes disease and procedure classification throughout the U.S. and allows data collection for basic health statistics.

Purpose

The Health Insurance Portability and Accountability Act (HIPAA) requires health care entities to use the ICD-10-CM for health services billing and record keeping. ICD-10 was implemented on October 1, 2015, replacing the 9th revision of ICD (ICD-9).

Relation to Professional Scope of Practice

SLPs practicing in a health care setting, especially a hospital, may have to code diseases and diagnoses according to the ICD-10. Payers, including Medicare, Medicaid, and commercial insurers, also require SLPs to report ICD-10 codes on health care claims for payment.

Official ICD-10-CM Resources

- National Center for Health Statistics www.cdc.gov/nchs/icd/icd-10-cm/
- Centers for Medicare and Medicaid Services: www.cms.gov/ICD10/
- ICD-10-CM Official Guidelines for Coding and Reporting: https://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publications/ICD10CM/2025/
- ICD-10-CM Browser Tool: <https://icd10cmtool.cdc.gov/>

ASHA Resources

- ICD-10-CM Diagnosis Codes for Audiology and Speech-Language Pathology: www.asha.org/Practice/reimbursement/coding/ICD-10/
- Speech-Language Pathology ICD-10-CM Code Changes: www.asha.org/Practice/reimbursement/coding/New-and-Revised-ICD-10-CM-Codes-for-SLP/
- ICD-10-CM Coding FAQs for Audiologists and SLPs: www.asha.org/Practice/reimbursement/coding/ICD-10-CM-Coding-FAQs-for-Audiologists-and-SLPs/
- Coding Normal Results: www.asha.org/practice/reimbursement/coding/normalresults/
- Coding to the Highest Degree of Specificity: www.asha.org/practice/reimbursement/coding/codespecificity/

Instructional Notations

The following instructional notations are from the published *ICD-10-CM Tabular List of Diseases and Injuries* (www.cdc.gov/nchs/icd/icd-10-cm/files.html). See also, *ICD-10-CM Official Guidelines for Coding and Reporting* (https://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publications/ICD10CM/2025/).

Includes

The word 'Includes' appears immediately under certain categories to further define, or give examples of, the content of the category.

Excludes Notes

The ICD-10-CM has two types of excludes notes. Each note has a different definition for use but they are both similar in that they indicate that codes excluded from each other are independent of each other.

Excludes1 (ASHA Note: In other words, never report the listed codes together)

A type 1 Excludes note is a pure excludes. It means 'NOT CODED HERE!' An Excludes1 note indicates that the code excluded should never be used at the same time as the code above the Excludes1 note. An Excludes1 is used when two conditions cannot occur together, such as a congenital form versus an acquired form of the same condition.

Excludes2 (ASHA Note: In other words, codes can be listed together)

A type 2 excludes note represents 'Not included here'. An excludes2 note indicates that the condition excluded is not part of the condition it is excluded from but a patient may have both conditions at the same time. When an Excludes2 note appears under a code it is acceptable to use both the code and the excluded code together.

Code First/Use Additional Code notes (etiology/manifestation paired codes)

Certain conditions have both an underlying etiology and multiple body system manifestations due to the underlying etiology. For such conditions the ICD-10-CM has a coding convention that requires the underlying condition be sequenced first followed by the manifestation. Wherever such a combination exists there is a 'use additional code' note at the etiology code, and a 'code first' note at the manifestation code. These instructional notes indicate the proper sequencing order of the codes, etiology followed by manifestation.

In most cases the manifestation codes will have in the code title, 'in diseases classified elsewhere.' Codes with this title are a component of the etiology/ manifestation convention. The code title indicates that it is a manifestation code. 'In diseases classified elsewhere' codes are never permitted to be used as first listed or principal diagnosis codes. They must be used in conjunction with an underlying condition code and they must be listed following the underlying condition.

Code Also

A code also note instructs that 2 codes may be required to fully describe a condition but the sequencing of the two codes is discretionary, depending on the severity of the conditions and the reason for the encounter.

7th characters and placeholder X

For codes less than 6 characters that require a 7th character a placeholder X should be assigned for all characters less than 6. The 7th character must always be the 7th character of a code.

ASHA Note: Certain ICD-10-CM categories have applicable 7th characters. The 7th character of ICD-10 is often a required character in codes involving, for example, injuries and poisonings (Chapter 19, S00-T88). The 7th character communicates the "type of encounter" such as initial (A), subsequent (D), or sequela (S). Any codes requiring a 7th character will be clearly indicated. Not all codes require a 7th character.

ICD-10-CM Tabular List of Diseases and Injuries

Related to speech, language, and swallowing disorders

Note: This list is **not** exhaustive, and a number of codes are included for information purposes only. Some categories of codes (e.g., neoplasms) may be more extensive, contain additional instructional notes, and may also require coding to a higher degree of specificity than indicated here. However, in general, speech-language pathology related diagnoses are listed to their highest level of specificity. For a full list of ICD-10-CM codes, descriptors, and instructions, see the official ICD-10-CM publication at www.cdc.gov/nchs/icd/icd-10-cm/.

Ch. 1: Certain infectious and parasitic diseases (A00-B99)

Includes: diseases generally recognized as communicable or transmissible

Use additional code to identify resistance to antimicrobial drugs (Z16.-)

Excludes1: certain localized infections - see body system-related chapters

Excludes2: carrier or suspected carrier of infectious disease (Z22.-)
infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium (O98.-)
infectious and parasitic diseases specific to the perinatal period (P35-P39)
influenza and other acute respiratory infections (J00-J22)

Sequelae of infectious and parasitic diseases (B90-B94)

Note: Categories B90-B94 are to be used to indicate conditions in categories A00-B89 as the cause of sequelae, which are themselves classified elsewhere. The 'sequelae' include conditions specified as such; they also include residuals of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present. Codes from these categories are not to be used for chronic infections. Code chronic current infections to active infectious disease as appropriate.

Code first condition resulting from (sequela) the infectious or parasitic disease

B94 Sequelae of other and unspecified infectious and parasitic diseases

B94.8 Sequelae of other specified infectious and parasitic diseases

Excludes2: post COVID-19 condition (U09.9)

For cases on or after Oct. 1, 2021, use **U09.9** for **sequelae of resolved COVID-19**, secondary to the speech-language pathology diagnosis. Don't use B94.8. See **Z86.16** for patient history of resolved COVID-19. For active cases of COVID-19, see **U07.1**.

Ch. 2: Neoplasms (C00-D49)

Malignant neoplasms of lip, oral cavity, and pharynx (C00-C14)

C00 Malignant neoplasm of lip

C00.0 Malignant neoplasm of external upper lip

C00.1 Malignant neoplasm of external lower lip

C00.2 Malignant neoplasm of external lip, unspecified

C00.3 Malignant neoplasm of upper lip, inner aspect

C00.4 Malignant neoplasm of lower lip, inner aspect

- C00.5** Malignant neoplasm of lip, unspecified, inner aspect
- C00.6** Malignant neoplasm of commissure of lip, unspecified
- C00.8** Malignant neoplasm of overlapping sites of lip
- C00.9** Malignant neoplasm of lip, unspecified
- C01** Malignant neoplasm of base of tongue
- C02** Malignant neoplasm of other and unspecified parts of tongue
 - C02.0** Malignant neoplasm of dorsal surface of tongue
 - C02.1** Malignant neoplasm of border of tongue
 - C02.2** Malignant neoplasm of ventral surface of tongue
 - C02.3** Malignant neoplasm of anterior two-thirds of tongue, part unspecified
 - C02.4** Malignant neoplasm of lingual tonsil
 - C02.8** Malignant neoplasm of overlapping sites of tongue
 - C02.9** Malignant neoplasm of tongue, unspecified
- **C03** Malignant neoplasm of gum
- **C04** Malignant neoplasm of floor of mouth
- C05** Malignant neoplasm of palate
 - C05.0** Malignant neoplasm of hard palate
 - C05.1** Malignant neoplasm of soft palate
 - C05.2** Malignant neoplasm of uvula
- **C06** Malignant neoplasm of other and unspecified parts of mouth
- **C08** Malignant neoplasm of other and unspecified major salivary glands
- **C09** Malignant neoplasm of tonsil
- C10** Malignant neoplasm of oropharynx
 - C10.1** Malignant neoplasm of anterior surface of epiglottis
 - C10.2** Malignant neoplasm of lateral wall of oropharynx
 - C10.3** Malignant neoplasm of posterior wall of oropharynx
- C11** Malignant neoplasm of nasopharynx
 - C11.0** Malignant neoplasm of superior wall of nasopharynx
 - C11.1** Malignant neoplasm of posterior wall of nasopharynx
 - C11.2** Malignant neoplasm of lateral wall of nasopharynx
 - C11.3** Malignant neoplasm of anterior wall of nasopharynx
 - C11.8** Malignant neoplasm of overlapping sites of nasopharynx
- C14** Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx
 - C14.0** Malignant neoplasm of pharynx, unspecified

- **C15** Malignant neoplasm of esophagus

Malignant neoplasms of digestive organs (C15-C26)

ASHA note: This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes (www.cdc.gov/nchs/icd/icd-10-cm/).

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

- **C30** Malignant neoplasm of nasal cavity and middle ear

C32 Malignant neoplasm of larynx

C32.0 Malignant neoplasm of glottis

C32.1 Malignant neoplasm of supraglottis

C32.2 Malignant neoplasm of subglottis

C32.3 Malignant neoplasm of laryngeal cartilage

C32.8 Malignant neoplasm of overlapping sites of larynx

C32.9 Malignant neoplasm of larynx, unspecified

- **C33** Malignant neoplasm of trachea

Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)

- **C71** Malignant neoplasm of brain

In situ neoplasms (D00-D09)

D00 Carcinoma in situ of oral cavity, esophagus and stomach

D00.0 Carcinoma in situ of lip, oral cavity and pharynx

D00.07 Carcinoma in situ of tongue

D02 Carcinoma in situ of middle ear and respiratory system

D02.0 Carcinoma in situ of larynx

Carcinoma in situ of aryepiglottic fold or interarytenoid fold, laryngeal aspect

Carcinoma in situ of epiglottis (suprahoid portion)

D02.1 Carcinoma in situ of trachea

Benign neoplasms, except benign neuroendocrine tumors (D10-D36)

- **D10** Benign neoplasm of mouth and pharynx

D14 Benign neoplasm of middle ear and respiratory system

D14.1 Benign neoplasm of larynx

D14.2 Benign neoplasm of trachea

- **D33** Benign neoplasm of brain and other parts of central nervous system

- **D37** Neoplasm of uncertain behavior of oral cavity and digestive organs

○ **D38** Neoplasm of uncertain behavior of middle ear and respiratory and intrathoracic organs

D48 Neoplasm of uncertain behavior of other and unspecified sites

Excludes1: neurofibromatosis (nonmalignant) (Q85.0-)

D48.1 Neoplasm of uncertain behavior of connective and other soft tissue

Neoplasm of uncertain behavior of connective tissue of ear

Neoplasm of uncertain behavior of connective tissue of eyelid

Stromal tumors of uncertain behavior of digestive system

Excludes1: neoplasm of uncertain behavior of articular cartilage (D48.0)

neoplasm of uncertain behavior of cartilage of larynx (D38.0)

neoplasm of uncertain behavior of cartilage of nose (D38.5)

neoplasm of uncertain behavior of connective tissue of breast (D48.6-)

D48.11 Desmoid tumor

D48.110 Desmoid tumor of head and neck

Ch. 4: Endocrine, nutritional and metabolic diseases (E00-E89)

Malnutrition (E40-E46)

ASHA note: This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes (www.cdc.gov/nchs/icd/icd-10-cm/).

Other nutritional deficiencies (E50-E64)

ASHA note: This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes (www.cdc.gov/nchs/icd/icd-10-cm/).

Ch. 5: Mental, behavioral, and neurodevelopmental disorders (F01-F99)

Includes: disorders of psychological development

Excludes2: symptoms, signs and abnormal clinical laboratory findings, not elsewhere classifiable (R00-R99)

Mental disorders due to known physiological conditions (F01-F09)

Note: This block comprises a range of mental disorders grouped together on the basis of their having in common a demonstrable etiology in cerebral disease, brain injury, or other insult leading to cerebral dysfunction. The dysfunction may be primary, as in diseases, injuries, and insults that affect the brain directly and selectively; or secondary, as in systemic diseases and disorders that attack the brain only as one of the multiple organs or systems of the body that are involved.

F01 Vascular dementia

Vascular dementia as a result of infarction of the brain due to vascular disease, including hypertensive cerebrovascular disease.

Includes: arteriosclerotic dementia

major neurocognitive disorder due to vascular disease

multi-infarct dementia

Code first the underlying physiological condition or sequelae of cerebrovascular disease., if applicable, any causal condition

○ **F01.5** Vascular dementia, unspecified severity

○ **F01.A** Vascular dementia, mild

Excludes1: mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

○ **F01.B** Vascular dementia, moderate

○ **F01.C** Vascular dementia, severe

F02 Dementia in other diseases classified elsewhere

Includes: Major neurocognitive disorder in other diseases classified elsewhere

Code first the underlying physiological condition, such as:

Alzheimer's (G30.-)

cerebral lipidosis (E75.4)

Creutzfeldt-Jakob disease (A81.0-)

Added neurocognitive disorder with Lewy bodies (G31.83)

Added other frontotemporal neurocognitive disorder (G31.90)

epilepsy and recurrent seizures (G40.-)

frontotemporal dementia (G31.09)

hepatolenticular degeneration (E83.01)

human immunodeficiency virus [HIV] disease (B20)

Huntington's disease (G10)

hypercalcemia (E83.52)

hypothyroidism, acquired (E00-E03.-)

intoxications (T36-T65)

Jakob-Creutzfeldt disease (A81.0-)

multiple sclerosis (G35)

neurosyphilis (A52.17)

niacin deficiency [pellagra] (E52)

Parkinson's disease (G20.-)

Pick's disease (G31.01)

polyarteritis nodosa (M30.0)

systemic lupus erythematosus (M32.-)

traumatic brain injury (S06.-)

trypanosomiasis (B56.-, B57.-)

vitamin B deficiency (E53.8)

Excludes1: mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

Excludes2: dementia in alcohol and psychoactive substance disorders (F10-F19, with .17, .27, .97)
vascular dementia (F01.5-, F01.A-, F01.B-, F01.C-)

○ **F02.8** Dementia in other diseases classified elsewhere, unspecified severity

○ **F02.A** Dementia in other diseases classified elsewhere, mild

Excludes1: mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

○ **F02.B** Dementia in other diseases classified elsewhere, moderate

○ **F02.C** Dementia in other diseases classified elsewhere, severe

F03 Unspecified dementia

Major neurocognitive disorder NOS

Presenile dementia NOS

Presenile psychosis NOS

Primary degenerative dementia NOS

Senile dementia NOS

Senile dementia depressed or paranoid type

Senile psychosis NOS

Excludes2: mild memory disturbance due to known physiological condition (F06.8)

Added dementia with delirium or acute confusional state (F05)

○ **F03.9 Unspecified dementia, unspecified severity**

○ **F03.A** Unspecified dementia, mild

Excludes1: mild neurocognitive disorder due to known physiological condition with or without behavioral disturbance (F06.7-)

○ **F03.B** Unspecified dementia, moderate

○ **F03.C** Unspecified dementia, severe

F04 Amnestic disorder due to known physiological condition

Korsakov's psychosis or syndrome, nonalcoholic

Code first the underlying physiological condition

Excludes1: amnesia NOS (R41.3)

anterograde amnesia (R41.1)

dissociative amnesia (F44.0)

retrograde amnesia (R41.2)

Excludes2: alcohol-induced or unspecified Korsakov's syndrome (F10.26, F10.96)

Korsakov's syndrome induced by other psychoactive substances (F13.26, F13.96, F19.16, F19.26, F19.96)

Updated **F05** Delirium due to know physiological conditions such as:

Acute or subacute brain syndrome

Acute or subacute confusional state (nonalcoholic)

Acute or subacute infective psychosis

Acute or subacute organic reaction

Acute or subacute psycho-organic syndrome

Delirium of mixed etiology

Delirium superimposed on dementia

Sundowning

Dementia (F03.9-)

Code first the underlying physiological condition, such as: dementia (F03.9-)

Excludes1: delirium NOS (R41.0)

Excludes2: delirium tremens alcohol-induced or unspecified (F10.231, F10.921)

F06 Other mental disorders due to known physiological condition

Includes: mental disorders due to endocrine disorder
 mental disorders due to exogenous hormone
 mental disorders due to exogenous toxic substance
 mental disorders due to primary cerebral disease
 mental disorders due to somatic illness
 mental disorders due to systemic disease affecting the brain

Code first the underlying physiological condition

Excludes1: unspecified dementia (F03.-)

Excludes2: delirium due to known physiological condition (F05)
 dementia as classified in F01-F02
 other mental disorders associated with alcohol and other psychoactive substances (F10-F19)

- **F06.7** Mild neurocognitive disorder due to known physiological condition
 Mild neurocognitive impairment due to a known physiological condition

Code first the underlying physiological condition, such as:

Alzheimer's disease (G30.-)
Added Other frontotemporal neurocognitive disorder (G31.09)
 human immunodeficiency virus [HIV] disease (B20)
 Huntington's disease (G10)
 Neurocognitive disorder with Lewy bodies (G31.83)
 Parkinson's disease (G20.-)
 systemic lupus erythematosus (M32.-)
 traumatic brain injury (S06.-)
 vitamin B deficiency (E53.-)

Excludes1: age related cognitive decline (R41.81)
 altered mental status (R41.82)
 cerebral degeneration (G31.9)
 change in mental status (R41.82)
 cognitive deficits following (sequelae of) cerebral hemorrhage or infarction (I69.01- I69.11-, I69.21-I69.31-, I69.81- I69.91-)
 dementia (F01.-, F02.-, F03.-)
 mild cognitive impairment due to unknown or unspecified etiology (G31.84)
 neurologic neglect syndrome (R41.4)
 personality change, nonpsychotic (F68.8)

Mental and behavioral disorders due to psychoactive substance use (F10-F19)

- F11 Opioid related disorders

Schizophrenia, schizotypal, delusional, and other non-mood psychotic disorders (F20-F29)

- **F20** Schizophrenia

Added Use Additional code, if applicable, to identify
 Other specified cognitive deficits (R41.84-)

Anxiety, dissociative, stress-related, somatoform and other nonpsychotic disorders (F40-F48)

F40 Phobic anxiety disorders

- **F40.1** Social phobias
 - Anthropophobia
 - Social anxiety disorder
 - Social anxiety disorder of childhood
 - Social neurosis

F44 Dissociative and conversion disorders

Includes: conversion hysteria
 conversion reaction
 hysteria
 hysterical psychosis

Excludes2: malingering [conscious simulation] (Z76.5)

- F44.4** Conversion disorder with motor symptom or deficit
 Conversion disorder with abnormal movement
 Conversion disorder with speech symptoms
 Conversion disorder with swallowing symptoms
 Conversion disorder with weakness/paralysis
 Dissociative motor disorders
 Psychogenic aphonia
 Psychogenic dysphonia

F45 Somatoform disorders

Excludes2: dissociative and conversion disorders (F44.-)
 factitious disorders (F68.1-)
 hair-plucking (F63.3)
 lalling (F80.0)
 lisping (F80.0)
 malingering [conscious simulation] (Z76.5)
 nail-biting (F98.8)
 psychological or behavioral factors associated with disorders or diseases classified elsewhere (F54)
 sexual dysfunction, not due to a substance or known physiological condition (F52.-)
 thumb-sucking (F98.8)
 tic disorders (in childhood and adolescence) (F95.-)
 Tourette's syndrome (F95.2)
 trichotillomania (F63.3)

- F45.8** Other somatoform disorders
 Psychogenic dysmenorrhea
 Psychogenic dysphagia, including 'globus hystericus'
 Psychogenic pruritus
 Psychogenic torticollis
 Somatoform autonomic dysfunction
 Teeth grinding

Excludes1: sleep related teeth grinding (G47.63)

Behavioral syndromes associated with physiological disturbances and physical factors (F50-F59)

F50 Eating disorders

Excludes1: anorexia NOS (R63.0)
feeding problems of newborn (P92.-)
polyphagia (R63.2)

Excludes2: feeding difficulties (R63.3-)
feeding disorder in infancy or childhood (F98.2-)

F50.8 Other eating disorders

Excludes2: pica of infancy and childhood (F98.3)

F50.82 Avoidant/restrictive food intake disorder

Added Avoidant/restrictive food intake disorder, in remission

New

F50.84 Rumination disorder in adults

Rumination disorder in adults, in remission

Excludes1: rumination disorder in infancy and childhood (F98.21)

F50.89 Other specified eating disorder

Psychogenic loss of appetite

F50.9 Eating disorder, unspecified

Atypical anorexia nervosa

Atypical bulimia nervosa

Feeding or eating disorder, unspecified

Other specified feeding disorder

SLPs typically do not assign codes from the F50-series, but rather **R63.31** (pediatric feeding disorder, acute) or **R63.32** (pediatric feeding disorder, chronic). Physicians or specialists, such as psychologists, may use the F50- codes to refer to SLPs for evaluation and treatment of feeding disorders.

Disorders of adult personality and behavior (F60-F69)**F64** Gender identity disorders

F64.0 Transsexualism

Gender identity disorder in adolescence and adulthood

Gender dysphoria in adolescents and adults

Gender incongruence in adolescents and adults

Transgender

Excludes1: gender identity disorder of childhood (F64.2)

F64.1 Dual role transvestism

Use additional code to identify sex reassignment status (Z87.890)

Excludes1: gender identity disorder in childhood (F64.2)

Excludes2: fetishistic transvestism (F65.1)

F64.2 Gender identity disorder of childhood

Gender dysphoria in children

Gender incongruence of childhood

Excludes1: gender identity disorder in adolescence and adulthood (F64.0)

Excludes2: sexual maturation disorder (F66)

F64.8 Other gender identity disorders

Other specified gender dysphoria

F64.9 Other gender identity disorder, unspecified

Gender dysphoria, unspecified

Gender-role disorder NOS
Gender incongruence, unspecified

Intellectual Disabilities (F70-F79)

Code first any associated physical or developmental disorders

Excludes1: borderline intellectual functioning, IQ above 70 to 84 (R41.83)

F70 Mild intellectual disabilities
IQ level 50-55 to approximately 70
Mild mental subnormality

F71 Moderate intellectual disabilities
IQ level 35-40 to 50-55
Moderate mental subnormality

F72 Severe intellectual disabilities
IQ 20-25 to 35-40
Severe mental subnormality

F73 Profound intellectual disabilities
IQ level below 20-25
Profound mental subnormality

○ **F78** Other intellectual disabilities

F79 Unspecified intellectual disabilities
Mental deficiency NOS
Mental subnormality NOS

Pervasive and specific developmental disorders (F80-F89)

F80 Specific developmental disorders of speech and language

- ▶ **F80.0** Phonological disorder
 - Dyslalia
 - Functional speech articulation disorder
 - Lalling
 - Lisping
 - Phonological developmental disorder
 - Speech articulation developmental disorder
 - Speech-sound disorder

Excludes1: speech articulation impairment due to aphasia NOS (R47.01)
speech articulation impairment due to apraxia (R48.2)

Excludes2: speech articulation impairment due to hearing loss (F80.4)
speech articulation impairment due to intellectual disabilities (F70-F79)
speech articulation impairment with expressive language developmental disorder (F80.1)
speech articulation impairment with mixed receptive expressive language developmental disorder (F80.2)

Use the **F80** series when there is no evidence or confirmation of an underlying medical condition contributing to the speech or language deficit.

Speech, language, cognitive, voice, and swallowing disorders due to a documented medical condition are generally found in the **I69** and **R00-R99** series.

- ▶ **F80.1** Expressive language disorder
Developmental dysphasia or aphasia, expressive type
Excludes1: mixed receptive-expressive language disorder (F80.2)
dysphasia and aphasia NOS (R47.-)
Excludes2: acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-)
selective mutism (F94.0)
intellectual disabilities (F70-F79)
pervasive developmental disorders (F84.-)

- ▶ **F80.2** Mixed receptive-expressive language disorder
Developmental dysphasia or aphasia, receptive type
Developmental Wernicke's aphasia
Excludes1: central auditory processing disorder (H93.25)
dysphasia or aphasia NOS (R47.-)
expressive language disorder (F80.1)
expressive type dysphasia or aphasia (F80.1)
word deafness (H93.25)
Excludes2: acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-)
pervasive developmental disorders (F84.-)
selective mutism (F94.0)
intellectual disabilities (F70-F79)

- ▶ **F80.4** Speech and language development delay due to hearing loss
Code also type of hearing loss (H90.-, H91.-)

- ▶ **F80.8** Other developmental disorders of speech and language

- ▶ **F80.81** Childhood onset fluency disorder
Cluttering NOS
Stuttering NOS

Excludes1: adult onset fluency disorder (F98.5)
fluency disorder in conditions classified elsewhere (R47.82)
fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)

- ▶ **F80.82** Social pragmatic communication disorder

Excludes1: Asperger's syndrome (F84.5)
autistic disorder (F84.0)

- F80.89** Other developmental disorders of speech and language

- F80.9** Developmental disorder of speech and language, unspecified
Communication disorder NOS
Language disorder NOS

For a full list of **hearing loss** codes, see
bit.ly/audiology-ICD-list

Unspecified codes:
Try to limit the use of this and other "unspecified" codes to cases where you haven't determined the type of speech or language disorder.

F81 Specific developmental disorders of scholastic skills

- F81.0** Specific reading disorder
'Backward reading'
Developmental dyslexia
Specific learning disorder, with impairment in reading
Specific reading retardation

Excludes1: alexia NOS (R48.0)

dyslexia NOS (R48.0)

F81.2 Mathematics disorder

Developmental acalculia
Developmental arithmetical disorder
Developmental Gerstmann's syndrome

Excludes1: acalculia NOS (R48.8)

Excludes2: arithmetical difficulties associated with a reading disorder (F81.0)
arithmetical difficulties associated with a spelling disorder (F81.81)
arithmetical difficulties due to inadequate teaching (Z55.8)

F81.8 Other developmental disorders of scholastic skills

F81.81 Disorder of written expression

Specific learning disorder, with impairment in written expression
Specific spelling disorder

F81.89 Other developmental disorders of scholastic skills

F81.9 Developmental disorder of scholastic skills, unspecified

Knowledge acquisition disability NOS
Learning disability NOS
Learning disorder NOS

F82 Specific developmental disorder of motor function

Clumsy child syndrome
Developmental coordination disorder
Developmental dyspraxia

Excludes1: abnormalities of gait and mobility (R26.-)
lack of coordination (R27.-)

Excludes2: lack of coordination secondary to intellectual disabilities (F70-F79)

F84 Pervasive developmental disorders

Code also any associated medical condition and intellectual disabilities

► **F84.0** Autistic disorder

Infantile autism
Infantile psychosis
Kanner's syndrome

Excludes1: Asperger's syndrome (F84.5)

F84.2 Rett's syndrome

Excludes1: Asperger's syndrome (F84.5)
Autistic disorder (F84.0)
Other childhood disintegrative disorder (F84.3)

F84.3 Other childhood disintegrative disorder

Dementia infantilis
Disintegrative psychosis
Heller's syndrome
Symbiotic psychosis

Use additional code to identify any associated neurological condition.

Excludes1: Asperger's syndrome (F84.5)
 Autistic disorder (F84.0)
 Rett's syndrome (F84.2)

- ▶ **F84.5** Asperger's syndrome
 Asperger's disorder
 Autistic psychopathy
 Schizoid disorder of childhood
- ▶ **F84.8** Other pervasive developmental disorders
 Overactive disorder associated with intellectual disabilities and stereotyped movements
- F84.9** Pervasive developmental disorder, unspecified
 Atypical autism

F88 Other disorders of psychological development
 Developmental agnosia
 Global developmental delay
 Other specified neurodevelopmental disorder

F89 Unspecified disorder of psychological development
 Developmental disorder NOS
 Neurodevelopmental disorder NOS

Behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)

F90 Attention-deficit hyperactivity disorders

Includes: attention deficit disorder with hyperactivity
 attention deficit syndrome with hyperactivity

Excludes2: anxiety disorders (F40.-, F41.-)
 mood [affective] disorders (F30-F39)
 pervasive developmental disorders (F84.-)
 schizophrenia (F20.-)

F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type
 Attention-deficit/hyperactivity disorder, predominantly inattentive presentation

F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type
 Attention-deficit/hyperactivity disorder, predominantly hyperactive impulsive presentation

F90.2 Attention-deficit hyperactivity disorder, combined type
 Attention-deficit/hyperactivity disorder, combined presentation

F90.8 Attention-deficit hyperactivity disorder, other type

F90.9 Attention-deficit hyperactivity disorder, unspecified type
 Attention-deficit hyperactivity disorder of childhood or adolescence NOS
 Attention-deficit hyperactivity disorder NOS

○ **F91** Conduct disorders

F94 Disorders of social functioning with onset specific to childhood and adolescence

F94.0 Selective mutism
 Elective mutism

Excludes2: pervasive developmental disorders (F84.-)
 schizophrenia (F20.-)
 specific developmental disorders of speech and language (F80.-)
 transient mutism as part of separation anxiety in young children (F93.0)

F98 Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence

Excludes2: breath-holding spells (R06.89)
 gender identity disorder of childhood (F64.2)
 Kleine-Levin syndrome (G47.13)
 obsessive-compulsive disorder (F42.-)
 sleep disorders not due to a substance or known physiological condition (F51.-)

F98.2 Other feeding disorders of infancy and childhood

Excludes2: anorexia nervosa and other eating disorders (F50.-)
 feeding difficulties (R63.3-)
 feeding problems of newborn (P92.-)
 pica of infancy or childhood (F98.3)

F98.21 Rumination disorder of infancy and childhood
 Rumination disorder in infancy or childhood, in remission

Excludes1: rumination disorder in adults (F50.84)

F98.29 Other feeding disorders of infancy and early childhood

► **F98.5** Adult onset fluency disorder

Excludes1: childhood onset fluency disorder (F80.81)
 dysphasia (R47.02)
 fluency disorder in conditions classified elsewhere (R47.82)
 fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters -23)
 tic disorders (F95.-)

Ch. 6: Diseases of the nervous system (G00-G99)

Inflammatory diseases of the central nervous system (G00-G09)

G00 Bacterial meningitis, not elsewhere classified

G00.0 Hemophilus meningitis

G00.1 Pneumococcal meningitis

G00.2 Streptococcal meningitis

Use additional code to further identify organism (B95.0-B95.5)

G00.3 Staphylococcal meningitis

Use additional code to further identify organism (B95.6-B95.8)

G00.8 Other bacterial meningitis

G00.9 Bacterial meningitis, unspecified

○ **G04** Encephalitis, myelitis and encephalomyelitis

Systemic atrophies primarily affecting the central nervous system (G10-G14)

G10 Huntington's disease
Huntington's chorea
Huntington's dementia

Use additional code, I applicable, to identify:

dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
mild neurocognitive disorder due to known physiological condition (F06.7-)

○ **G11** Hereditary ataxia

Excludes2: cerebral palsy (G80.-)
hereditary and idiopathic neuropathy (G60.-)
metabolic disorders (E70-E88)

G12 Spinal muscular atrophy and related syndromes

G12.2 Motor neuron disease

G12.21 Amyotrophic lateral sclerosis
Progressive spinal muscle atrophy

Extrapyramidal and movement disorders (G20-G26)

G20 Parkinson's disease
Hemiparkinsonism
Idiopathic Parkinsonism or Parkinson's disease
Paralysis agitans
Primary Parkinsonism or Parkinson's disease

Use additional code, if applicable, to identify:

dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
mild neurocognitive disorder due to known physiological condition (F06.7-)

G20.A Parkinson's disease without dyskinesia

G20.A1 Parkinson's disease without dyskinesia, without mention of fluctuations
Parkinson's disease NOS
Parkinson's disease without dyskinesia, without mention of OFF episodes

G20.A2 Parkinson's disease without dyskinesia, with fluctuations
Parkinson's disease without dyskinesia, with OFF episodes

G20.B Parkinson's disease with dyskinesia

Excludes1: drug induced dystonia (G24.0-)

G20.B1 Parkinson's disease with dyskinesia, without mention of fluctuations
Parkinson's disease with dyskinesia, without mention of OFF episodes

G20.B2 Parkinson's disease with dyskinesia, with fluctuations
Parkinson's disease with dyskinesia, with OFF episodes

G20.C Parkinsonism, unspecified
Parkinsonism, NOS

Excludes1: Parkinson's disease NOS (G20.A1)
Parkinson's disease with dyskinesia (G20.B-)
Parkinson's disease without dyskinesia (G20.A-)
secondary parkinsonism (G21-)

G21 Secondary parkinsonism

Excludes1: neurocognitive disorders with Lewy bodies (G31.83)
Huntington's disease (G10)
Shy-Drager syndrome (G90.3)
syphilitic Parkinsonism (A52.19)

G21.0 Malignant neuroleptic syndrome

Use additional code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505, T43.595)

Excludes1: neuroleptic induced parkinsonism (G21.11)

G21.1 Other drug-induced secondary parkinsonism

G21.11 Neuroleptic induced parkinsonism

Use additional code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505, T43.595)

Excludes1: malignant neuroleptic syndrome (G21.0)

G21.19 Other drug induced secondary parkinsonism Other medication-induced parkinsonism

Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

G21.2 Secondary parkinsonism due to other external agents

Code first (T51-T65) to identify external agent

G21.3 Postencephalitic parkinsonism

G21.4 Vascular parkinsonism

G21.8 Other secondary parkinsonism

G21.9 Secondary parkinsonism, unspecified

○ **G24** Dystonia

Includes: dyskinesia

Excludes2: athetoid cerebral palsy (G80.3)

Other degenerative diseases of the nervous system (G30-G32)

G30 Alzheimer's disease

Includes: Alzheimer's dementia senile and presenile forms

Use additional code, if applicable, to identify:

- delirium, if applicable (F05)
- dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
- dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
- dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
- dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
- dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
- mild neurocognitive disorder due to known physiological condition (F06.7-)

Excludes1: senile degeneration of brain NEC (G31.1)

senile dementia NOS (F03.-)

senility NOS (R41.81)

G30.0 Alzheimer's disease with early onset

G30.1 Alzheimer's disease with late onset

G30.8 Other Alzheimer's disease

G30.9 Alzheimer's disease, unspecified

G31 Other degenerative diseases of nervous system, not elsewhere classified

Use additional code, if applicable, for codes G31.0-G31.83, G31.85-G31.9, to identify:

- dementia with behavioral disturbance (F02.81)
- dementia with anxiety (F02.84, F02.A4, F02.B4, F02.C4)
- dementia with behavioral disturbance (F02.81-, F02.A1-, F02.B1-, F02.C1-)
- dementia with mood disturbance (F02.83, F02.A3, F02.B3, F02.C3)
- dementia with psychotic disturbance (F02.82, F02.A2, F02.B2, F02.C2)
- dementia without behavioral disturbance (F02.80, F02.A0, F02.B0, F02.C0)
- mild neurocognitive disorder due to known physiological condition (F06.7-)

Excludes2: Reye's syndrome (G93.7)

G31.0 Frontotemporal dementia

G31.01 Pick's disease

Primary progressive aphasia

Progressive isolated aphasia

G31.09 Other frontotemporal neurocognitive disorder

Frontal dementia

Use additional code, if applicable, to identify mild neurocognitive disorders due to known physiological condition (F06.7-)

G31.1 Senile degeneration of brain, not elsewhere classified

Excludes1: Alzheimer's disease (G30.-)

senility NOS (R41.81)

G31.8 Other specified degenerative diseases of nervous system

G31.84 Mild cognitive impairment of uncertain or unknown etiology

Mild cognitive disorder NOS

Mild neurocognitive disorder of uncertain or unknown etiology

Use additional code to identify presence of:

alcohol abuse and dependence (F10.-)

exposure to environmental tobacco smoke (Z77.22)

history of tobacco dependence (Z87.891)
 hypertension (I10-I1A)
 occupational exposure to environmental tobacco smoke (Z57.31)
 tobacco dependence (F17.-)
 tobacco use (Z72.0)

Excludes1: age related cognitive decline (R41.81)
 altered mental status (R41.82)
 cerebral degeneration (G31.9)
 change in mental status (R41.82)
 cognitive deficits following (sequelae of) cerebral hemorrhage or infarction (I69.01-, I69.11-, I69.21-, I69.31-, I69.81-, I69.91-)
 cognitive impairment due to intracranial or head injury (S06.-)
 dementia (F01.-, F02.-, F03.-)
 mild neurocognitive disorder due to a known physiological condition (F06.7-)
 neurologic neglect syndrome (R41.4)
 personality change, nonpsychotic (F68.8)

Demyelinating diseases of the central nervous system (G35-G37)

G35 Multiple sclerosis
 Disseminated multiple sclerosis
 Generalized multiple sclerosis
 Multiple sclerosis NOS
 Multiple sclerosis of brain stem
 Multiple sclerosis of cord

Episodic and paroxysmal disorders (G40-G47)

G40 Epilepsy and recurrent seizures

G40.8 Other epilepsy and recurrent seizures
 Epilepsies and epileptic syndromes undetermined as to whether they are focal or generalized Landau-Kleffner syndrome

G40.80 Other epilepsy

G40.801 Other epilepsy, not intractable, with status epilepticus

G40.802 Other epilepsy, not intractable, without status epilepticus

Other epilepsy NOS

Other epilepsy without intractability without status epilepticus

G40.803 Other epilepsy, intractable, with status epilepticus

G40.804 Other epilepsy, intractable, without status epilepticus

○ **G45** Transient cerebral ischemic attacks and related syndromes

○ **G46** Vascular syndromes of brain in cerebrovascular diseases

○ **G47** Sleep disorders

Nerve, nerve root and plexus disorders (G50-G59)

G51 Facial nerve disorders

Includes: disorders of 7th cranial nerve

G51.0 Bell's palsy
Facial palsy

G51.1 Geniculate ganglionitis

Excludes1: postherpetic geniculate ganglionitis (B02.21)

G51.2 Melkersson's syndrome
Melkersson-Rosenthal syndrome

G51.3 Clonic hemifacial spasm

G51.31 Clonic hemifacial spasm, right

G51.32 Clonic hemifacial spasm, left

G51.33 Clonic hemifacial spasm, bilateral

G51.39 Clonic hemifacial spasm, unspecified

G51.4 Facial myokymia

G51.8 Other disorders of facial nerve

G51.9 Disorder of facial nerve, unspecified

Diseases of myoneural junction and muscle (G70-G73)

G71 Primary disorders of muscles

Excludes2: arthrogryposis multiplex congenita (Q74.3)
metabolic disorders (E70-E88)
myositis (M60.-)

G71.0 Muscular dystrophy

G71.00 Muscular dystrophy, unspecified

G71.01 Duchenne or Becker muscular dystrophy
Autosomal recessive, childhood type, muscular dystrophy resembling
Duchenne or Becker muscular dystrophy
Benign [Becker] muscular dystrophy
Severe [Duchenne] muscular dystrophy

G71.02 Facioscapulohumeral muscular dystrophy
Scapulohumeral muscular dystrophy

G71.09 Other specified muscular dystrophies
Benign scapuloperoneal muscular dystrophy with early contractures [Emery-Dreifuss]
Congenital muscular dystrophy NOS
Congenital muscular dystrophy with specific morphological abnormalities of the muscle fiber
Distal muscular dystrophy
Limb-girdle muscular dystrophy
Ocular muscular dystrophy
Oculopharyngeal muscular dystrophy
Scapuloperoneal muscular dystrophy

G71.1 Myotonic disorders

- G71.11** Myotonic muscular dystrophy
Dystrophia myotonica [Steinert]
Myotonia atrophica
Myotonic muscular dystrophy
Proximal myotonic myopathy (PROMM)
Steinert disease
- G71.12** Myotonia congenital
Acetazolamide responsive myotonia congenita
Dominant myotonia congenita [Thomsen disease]
Myotonia levior
Recessive myotonia congenita [Becker disease]
- G71.13** Myotonic chondrodystrophy
Chondrodystrophic myotonia
Congenital myotonic chondrodystrophy
Schwartz-Jampel disease
- G71.14** Drug induced myotonia
Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
- G71.19** Other specified myotonic disorders
Myotonia fluctuans
Myotonia permanens
Neuromyotonia [Isaacs]
Paramyotonia congenita (of von Eulenburg)
Pseudomyotonia
Symptomatic myotonia

Cerebral palsy and other paralytic syndromes (G80-G83)

G80 Cerebral palsy

Excludes1: hereditary spastic paraplegia (G11.4)

G80.0 Spastic quadriplegic cerebral palsy
Congenital spastic paralysis (cerebral)

G80.1 Spastic diplegic cerebral palsy
Spastic cerebral palsy NOS

G80.2 Spastic hemiplegic cerebral palsy

G80.3 Athetoid cerebral palsy
Double athetosis (syndrome)
Dyskinetic cerebral palsy
Dystonic cerebral palsy
Vogt disease

G80.4 Ataxic cerebral palsy

G80.8 Other cerebral palsy
Mixed cerebral palsy syndromes

G80.9 Cerebral palsy, unspecified
Cerebral palsy NOS

○ **G81** Hemiplegia and hemiparesis

Note: This category is to be used only when hemiplegia (complete)(incomplete) is reported without further specification, or is stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these types of hemiplegia resulting from any cause.

Excludes1: congenital cerebral palsy (G80.-)
hemiplegia and hemiparesis due to sequela of cerebrovascular disease (I69.05-, I69.15-, I69.25-, I69.35-, I69.45-, I69.85-, I69.95-)

Other disorders of the nervous system (G89-G99)

○ **G91** Hydrocephalus

○ **G92** Toxic encephalopathy

○ **G93** Other disorders of brain

G96 Other disorders of central nervous system

○ **G96.0** Cerebrospinal fluid leak

Code also if applicable
intracranial hypotension (G96.81-)

Excludes1: cerebrospinal fluid leak from spinal puncture (G97.0)

Ch. 9: Diseases of the circulatory system (I00-I99)

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

ASHA note: This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes (www.cdc.gov/nchs/icd/icd-10-cm.htm).

Other forms of heart disease (I30-I52)

○ **I46** Cardiac arrest

Cerebrovascular diseases (I60-I69)

○ **I60** Nontraumatic subarachnoid hemorrhage

○ **I61** Nontraumatic intracerebral hemorrhage

○ **I62** Other and unspecified nontraumatic intracranial hemorrhage

○ **I63** Cerebral infarction

○ **I67** Other cerebrovascular diseases

○ **I69** Sequelae of cerebrovascular disease

Note: Category I69 is to be used to indicate conditions in I60-I67 as the cause of sequelae. The 'sequelae' include conditions specified as such or as residuals which may occur at any time after the onset of the causal condition.

Excludes1: personal history of cerebral infarction without residual deficit (Z86.73)
 personal history of prolonged reversible ischemic neurologic deficit (PRIND) (Z86.73)
 personal history of reversible ischemic neurological deficit (RIND) (Z86.73)
 sequelae of traumatic intracranial injury (S06.-)

I69.0 Sequelae of nontraumatic subarachnoid hemorrhage

I69.00 Unspecified sequelae of nontraumatic subarachnoid hemorrhage

I69.01 Cognitive deficits following nontraumatic subarachnoid hemorrhage

▶ **I69.010** Attention and concentration deficit following nontraumatic subarachnoid hemorrhage

▶ **I69.011** Memory deficit following nontraumatic subarachnoid hemorrhage

I69.012 Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage

I69.013 Psychomotor deficit following nontraumatic subarachnoid hemorrhage

▶ **I69.014** Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage

▶ **I69.015** Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage

▶ **I69.018** Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage

I69.019 Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage

I69.02 Speech and language deficits following nontraumatic subarachnoid hemorrhage

▶ **I69.020** Aphasia following nontraumatic subarachnoid hemorrhage

▶ **I69.021** Dysphasia following nontraumatic subarachnoid hemorrhage

▶ **I69.022** Dysarthria following nontraumatic subarachnoid hemorrhage

▶ **I69.023** Fluency disorder following nontraumatic subarachnoid hemorrhage
 Stuttering following nontraumatic subarachnoid hemorrhage

▶ **I69.028** Other speech and language deficits following nontraumatic subarachnoid hemorrhage

I69.09 Other sequelae of nontraumatic subarachnoid hemorrhage

▶ **I69.090** Apraxia following nontraumatic subarachnoid hemorrhage

▶ **I69.091** Dysphagia following nontraumatic subarachnoid hemorrhage

Use additional code to identify the type of dysphagia, if known (R13.11-R13.19)

▶ **I69.092** Facial weakness following nontraumatic subarachnoid hemorrhage
 Facial droop following nontraumatic subarachnoid hemorrhage

I69.093 Ataxia following nontraumatic subarachnoid hemorrhage

I69.098 Other sequelae following nontraumatic subarachnoid hemorrhage

Alterations of sensation following nontraumatic subarachnoid hemorrhage
 Disturbance of vision following nontraumatic subarachnoid hemorrhage

Use additional code to identify the sequelae

I69.1 Sequelae of nontraumatic intracerebral hemorrhage

I69.10 Unspecified sequelae of nontraumatic intracerebral hemorrhage

I69.11 Cognitive deficits following nontraumatic intracerebral hemorrhage

- ▶ **I69.110** Attention and concentration deficit following nontraumatic intracerebral hemorrhage
- ▶ **I69.111** Memory deficit following nontraumatic intracerebral hemorrhage
- I69.112** Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage
- I69.113** Psychomotor deficit following nontraumatic intracerebral hemorrhage
- ▶ **I69.114** Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage
- ▶ **I69.115** Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage
- I69.118** Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage
- I69.119** Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage

I69.12 Speech and language deficits following nontraumatic intracerebral hemorrhage

- ▶ **I69.120** Aphasia following nontraumatic intracerebral hemorrhage
- ▶ **I69.121** Dysphasia following nontraumatic intracerebral hemorrhage
- ▶ **I69.122** Dysarthria following nontraumatic intracerebral hemorrhage
- ▶ **I69.123** Fluency disorder following nontraumatic intracerebral hemorrhage
Stuttering following nontraumatic intracerebral hemorrhage
- ▶ **I69.128** Other speech and language deficits following nontraumatic intracerebral hemorrhage

I69.19 Other sequelae of nontraumatic intracerebral hemorrhage

- ▶ **I69.190** Apraxia following nontraumatic intracerebral hemorrhage
- ▶ **I69.191** Dysphagia following nontraumatic intracerebral hemorrhage
Use additional code to identify the type of dysphagia, if known (R13.11-R13.19)
- ▶ **I69.192** Facial weakness following nontraumatic intracerebral hemorrhage
Facial droop following nontraumatic intracerebral hemorrhage
- I69.193** Ataxia following nontraumatic intracerebral hemorrhage
- I69.198** Other sequelae of nontraumatic intracerebral hemorrhage

Alteration of sensations following nontraumatic intracerebral hemorrhage
 Disturbance of vision following nontraumatic intracerebral hemorrhage

Use additional code to identify the sequelae

I69.2 Sequelae of other nontraumatic intracranial hemorrhage

I69.20 Unspecified sequelae of other nontraumatic intracranial hemorrhage

I69.21 Cognitive deficits following other nontraumatic intracranial hemorrhage

- ▶ **I69.210** Attention and concentration deficit following other nontraumatic intracranial hemorrhage
- ▶ **I69.211** Memory deficit following other nontraumatic intracranial hemorrhage
- I69.212** Visuospatial deficit and spatial neglect following nontraumatic intracranial hemorrhage
- I69.213** Psychomotor deficit following other nontraumatic intracranial hemorrhage
- ▶ **I69.214** Frontal lobe and executive function deficit following other nontraumatic intracranial hemorrhage
- ▶ **I69.215** Cognitive social or emotional deficit following other nontraumatic intracranial hemorrhage
- I69.218** Other symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage
- I69.219** Unspecified symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage

I69.22 Speech and language deficits following other nontraumatic intracranial hemorrhage

- ▶ **I69.220** Aphasia following other nontraumatic intracranial hemorrhage
- ▶ **I69.221** Dysphasia following other nontraumatic intracranial hemorrhage
- ▶ **I69.222** Dysarthria following other nontraumatic intracranial hemorrhage
- ▶ **I69.223** Fluency disorder following other nontraumatic intracranial hemorrhage
Stuttering following nontraumatic intracranial hemorrhage
- ▶ **I69.228** Other speech and language deficits following other nontraumatic intracranial hemorrhage

I69.29 Other sequelae of other nontraumatic intracranial hemorrhage

- ▶ **I69.290** Apraxia following other nontraumatic intracranial hemorrhage
- ▶ **I69.291** Dysphagia following other nontraumatic intracranial hemorrhage
Use additional code to identify the type of dysphagia, if known (R13.11-R13.19)
- ▶ **I69.292** Facial weakness following other nontraumatic intracranial hemorrhage
Facial droop following other nontraumatic intracranial hemorrhage
- I69.293** Ataxia following other nontraumatic intracranial hemorrhage

- 169.298** Other sequelae other nontraumatic intracranial hemorrhage
 Alteration of sensation following other nontraumatic intracranial hemorrhage
 Disturbance of vision following other nontraumatic intracranial hemorrhage

Use additional code to identify the sequelae

I69.3 Sequelae of cerebral infarction
 Sequelae of stroke NOS

I69.30 Unspecified sequelae of cerebral infarction

I69.31 Cognitive deficits following cerebral infarction

- ▶ **I69.310** Attention and concentration deficit following cerebral infarction
- ▶ **I69.311** Memory deficit following cerebral infarction
- I69.312** Visuospatial deficit and spatial neglect following cerebral infarction
- I69.313** Psychomotor deficit following cerebral infarction
- ▶ **I69.314** Frontal lobe and executive function deficit following cerebral infarction
- ▶ **I69.315** Cognitive social or emotional deficit following cerebral infarction
- I69.318** Other symptoms and signs involving cognitive functions following cerebral infarction
- I69.319** Unspecified symptoms and signs involving cognitive functions following cerebral infarction

I69.32 Speech and language deficits following cerebral infarction

- ▶ **I69.320** Aphasia following cerebral infarction
- ▶ **I69.321** Dysphasia following cerebral infarction
- ▶ **I69.322** Dysarthria following cerebral infarction
Excludes2: Transient ischemic attack (TIA) (G45.9)
- ▶ **I69.323** Fluency disorder following cerebral infarction
 Stuttering following cerebral infarction
- ▶ **I69.328** Other speech and language deficits following cerebral infarction

I69.39 Other sequelae of cerebral infarction

- ▶ **I69.390** Apraxia following cerebral infarction
- ▶ **I69.391** Dysphagia following cerebral infarction
Use additional code to identify the type of dysphagia, if known (R13.11-R13.19)
- ▶ **I69.392** Facial weakness following cerebral infarction
 Facial droop following cerebral infarction
- I69.393** Ataxia following cerebral infarction
- I69.398** Other sequelae of cerebral infarction
 Alteration of sensation following cerebral infarction
 Disturbance of vision following cerebral infarction
Use additional code to identify the sequelae

I69.8 Sequelae of other cerebrovascular diseases**Excludes1:** sequelae of traumatic intracranial injury (S06.-)**I69.80** Unspecified sequelae of other cerebrovascular disease**I69.81** Cognitive deficits following other cerebrovascular disease

- ▶ **I69.810** Attention and concentration deficit following other cerebrovascular disease
- ▶ **I69.811** Memory deficit following following other cerebrovascular disease
- I69.812** Visuospatial deficit and spatial neglect following other cerebrovascular disease
- I69.813** Psychomotor deficit following other cerebrovascular disease
- ▶ **I69.814** Frontal lobe and executive function deficit following other cerebrovascular disease
- ▶ **I69.815** Cognitive social or emotional deficit following other cerebrovascular disease
- I69.818** Other symptoms and signs involving cognitive functions following other cerebrovascular disease
- I69.819** Unspecified symptoms and signs involving cognitive functions following other cerebrovascular disease

I69.82 Speech and language deficits following other cerebrovascular disease

- ▶ **I69.820** Aphasia following other cerebrovascular disease
- ▶ **I69.821** Dysphasia following other cerebrovascular disease
- ▶ **I69.822** Dysarthria following other cerebrovascular disease
- ▶ **I69.823** Fluency disorder following other cerebrovascular disease
Stuttering following other cerebrovascular disease
- ▶ **I69.828** Other speech and language deficits following other cerebrovascular disease

I69.89 Other sequelae of other cerebrovascular disease

- ▶ **I69.890** Apraxia following other cerebrovascular disease
- ▶ **I69.891** Dysphagia following other cerebrovascular disease
Use additional code to identify the type of dysphagia, if known (R13.11-R13.19)
- ▶ **I69.892** Facial weakness following other cerebrovascular disease
Facial droop following other cerebrovascular disease
- I69.893** Ataxia following other cerebrovascular disease
- I69.898** Other sequelae of other cerebrovascular disease
Alteration of sensation following other cerebrovascular disease
Disturbance of vision following other cerebrovascular disease
Use additional code to identify the sequelae

I69.9 Sequelae of unspecified cerebrovascular diseases**Excludes1:** sequelae of stroke (I63.3)

sequelae of traumatic intracranial injury (S06.-)

I69.90 Unspecified sequelae of unspecified cerebrovascular disease

I69.91 Cognitive deficits following unspecified cerebrovascular disease

▶ **I69.910** Attention and concentration deficit following unspecified cerebrovascular disease

▶ **I69.911** Memory deficit following unspecified cerebrovascular disease

I69.912 Visuospatial deficit and spatial neglect following unspecified cerebrovascular disease

I69.913 Psychomotor deficit following unspecified cerebrovascular disease

▶ **I69.914** Frontal lobe and executive function deficit following unspecified cerebrovascular disease

▶ **I69.915** Cognitive social or emotional deficit following unspecified cerebrovascular disease

I69.918 Other symptoms and signs involving cognitive functions following unspecified cerebrovascular disease

I69.919 Unspecified symptoms and signs involving cognitive functions following unspecified cerebrovascular disease

I69.92 Speech and language deficits following unspecified cerebrovascular disease

▶ **I69.920** Aphasia following unspecified cerebrovascular disease

▶ **I69.921** Dysphasia following unspecified cerebrovascular disease

▶ **I69.922** Dysarthria following unspecified cerebrovascular disease

▶ **I69.923** Fluency disorder following unspecified cerebrovascular disease
Stuttering following unspecified cerebrovascular disease

▶ **I69.928** Other speech and language deficits following unspecified cerebrovascular disease

I69.99 Other sequelae of unspecified cerebrovascular disease

▶ **I69.990** Apraxia following unspecified cerebrovascular disease

▶ **I69.991** Dysphagia following unspecified cerebrovascular disease

Use additional code to identify the type of dysphagia, if known
(R13.11-R13.19)

▶ **I69.992** Facial weakness following unspecified cerebrovascular disease
Facial droop following unspecified cerebrovascular disease

I69.993 Ataxia following unspecified cerebrovascular disease

I69.998 Other sequelae following unspecified cerebrovascular disease

Alteration in sensation following unspecified cerebrovascular disease
Disturbance of vision following unspecified cerebrovascular disease

Use additional code to identify the sequelae

Ch. 10: Diseases of the respiratory system (J00-J99)

Acute upper respiratory infections (J00-J06)

- J02 Acute pharyngitis
- J03 Acute tonsillitis
- J04 Acute laryngitis and tracheitis
- J05 Acute obstructive laryngitis [croup] and epiglottitis

Influenza and Pneumonia (J09-J18)

Use Additional code, if applicable, to identify resistance to antimicrobial drugs (Z16.-)

J12 Viral pneumonia, not elsewhere classified

J12.8 Other viral pneumonia

- J12.82** Pneumonia due to coronavirus disease 2019
Pneumonia due to 2019 novel coronavirus (SARS-CoV-2)
Pneumonia due to COVID-19
Code first COVID-19 (U07.1)

Other diseases of upper respiratory tract (J30-J39)

J31 Chronic rhinitis, nasopharyngitis and pharyngitis

J31.2 Chronic pharyngitis
Chronic sore throat
Atrophic pharyngitis (chronic)
Granular pharyngitis (chronic)
Hypertrophic pharyngitis (chronic)

Excludes2: acute pharyngitis (J02.9)

J35 Chronic diseases of tonsils and adenoids

J35.1 Hypertrophy of tonsils
Enlargement of tonsils

Excludes1: hypertrophy of tonsils with tonsillitis (J35.0-)

J35.2 Hypertrophy of adenoids
Enlargement of adenoids

Excludes1: hypertrophy of adenoids with adenoiditis (J35.0-)

J35.3 Hypertrophy of tonsils with hypertrophy of adenoids

Excludes1: hypertrophy of tonsils and adenoids with tonsillitis and adenoiditis (J35.03)

J37 Chronic laryngitis and laryngotracheitis

Use additional code to identify:

- exposure to environmental tobacco smoke (Z77.22)
- exposure to tobacco smoke in the perinatal period (P96.81)
- history of tobacco use (Z87.891)

infectious agent (B95-B97)
 occupational exposure to environmental tobacco smoke (Z57.31)
 tobacco dependence (F17.-)
 tobacco use (Z72.0)

J37.0 Chronic laryngitis
 Catarrhal laryngitis
 Hypertrophic laryngitis
 Sicca laryngitis

Excludes2: acute laryngitis (J04.0)
 obstructive (acute) laryngitis (J05.0)

J38 Diseases of vocal cords and larynx, not elsewhere classified

Excludes1: congenital laryngeal stridor (P28.89)
 obstructive laryngitis (acute) (J05.0)
 postprocedural subglottic stenosis (J95.5)
 stridor (R06.1)
 ulcerative laryngitis (J04.0)

J38.0 Paralysis of vocal cords and larynx
 Laryngoplegia
 Paralysis of glottis

J38.00 Paralysis of vocal cords and larynx, unspecified

J38.01 Paralysis of vocal cords and larynx, unilateral

J38.02 Paralysis of vocal cords and larynx, bilateral

J38.1 Polyp of vocal cord and larynx

Excludes1: adenomatous polyps (D14.1)

J38.2 Nodules of vocal cords
 Chorditis (fibrinous) (nodosa) (tuberosa)
 Singer's nodes
 Teacher's nodes

J38.3 Other diseases of vocal cords
 Abscess of vocal cords
 Cellulitis of vocal cords
 Granuloma of vocal cords
 Leukokeratosis of vocal cords
 Leukoplakia of vocal cords

J38.4 Edema of larynx
 Edema (of) glottis
 Subglottic edema
 Supraglottic edema

Excludes1: acute obstructive laryngitis [croup] (J05.0)
 edematous laryngitis (J04.0)

J38.5 Laryngeal spasm
 Laryngismus (stridulus)

J38.6 Stenosis of larynx

There is currently no code for **vocal cord paresis**. Consider using the **J38.0-** series instead. Documentation should indicate the paresis.

J38.5 is an option for a diagnosis of **paradoxical vocal fold motion**.

J38.7 Other diseases of larynx

Abscess of larynx
 Cellulitis of larynx
 Disease of larynx NOS
 Necrosis of larynx
 Pachyderma of larynx
 Perichondritis of larynx
 Ulcer of larynx

J39 Other diseases of upper respiratory tract**Excludes1:** acute respiratory infection NOS (J22)

acute upper respiratory infection (J06.9)

upper respiratory inflammation due to chemicals, gases, fumes or vapors (J68.2)

J39.3 Upper respiratory tract hypersensitivity reaction, site unspecified**Excludes1:** hypersensitivity reaction of upper respiratory tract, such as:

extrinsic allergic alveolitis (J67.9)

pneumoconiosis (J60-J67.9)

J39.8 Other specified diseases of upper respiratory tract**J39.9** Disease of upper respiratory tract, unspecified***Lung diseases due to external agents (J60-J70)*****Excludes2:** asthma (J45.-)

malignant neoplasm of bronchus and lung (C34.-)

J69 Pneumonitis due to solids and liquids

Code also, if applicable, other types of pneumonias

Excludes1: neonatal aspiration syndromes (P24.-)

postprocedural pneumonitis (J95.4)

J69.0 Pneumonitis due to inhalation of food and vomit

Aspiration pneumonia NOS

Aspiration pneumonia (due to) food (regurgitated)

Aspiration pneumonia (due to) gastric secretions

Aspiration pneumonia (due to) milk

Aspiration pneumonia (due to) vomit

Code also any associated foreign body in respiratory tract (T17.-)

Excludes1: chemical pneumonitis due to anesthesia (J95.4)

obstetric aspiration pneumonitis (O74.0)

Intraoperative and postprocedural complications and disorders of respiratory system, not elsewhere classified (J95)**J95** Intraoperative and postprocedural complications and disorders of respiratory system, not elsewhere classified**Excludes2:** aspiration pneumonia (J69.-)

emphysema (subcutaneous) resulting from a procedure (T81.82)

hypostatic pneumonia (J18.2)

pulmonary manifestations due to radiation (J70.0- J70.1)

J95.0 Tracheostomy complications

J95.00 Unspecified tracheostomy complication

J95.01 Hemorrhage from tracheostomy stoma

J95.02 Infection of tracheostomy stoma

Use additional code to identify type of infection, such as:
cellulitis of neck (L03.221)
sepsis (A40, A41.-)

J95.03 Malfunction of tracheostomy stoma
Mechanical complication of tracheostomy stoma
Obstruction of tracheostomy airway
Tracheal stenosis due to tracheostomy

J95.04 Tracheo-esophageal fistula following tracheostomy

J95.09 Other tracheostomy complication

Ch. 11: Diseases of the digestive system (K00-K95)

Excludes2: certain conditions originating in the perinatal period (P04-P96)
certain infectious and parasitic diseases (A00-B99)
complications of pregnancy, childbirth and the puerperium (O00-O9A)
congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
endocrine, nutritional and metabolic diseases (E00-E88)
injury, poisoning and certain other consequences of external causes (S00-T88)
neoplasms (C00-D49)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94)

Diseases of oral cavity and salivary glands (K00-K14)

○ **K00** Disorders of tooth development and eruption

K08 Other disorders of teeth and supporting structures

Excludes2: dentofacial anomalies [including malocclusion] (M26.-)
disorders of jaw (M27.-)

K08.2 Atrophy of edentulous alveolar ridge

K13 Other diseases of lip and oral mucosa

K13.7 Other and unspecified lesions of oral mucosa

K13.70 Unspecified lesions of oral mucosa

K13.79 Other lesions of oral mucosa
Focal oral mucinosis

K14 Diseases of tongue

K14.0 Glossitis

Abscess of tongue

Ulceration (traumatic) of tongue

Excludes1: atrophic glossitis (K14.4)

K14.4 Atrophy of tongue papillae
Atrophic glossitis

K14.5 Plicated tongue
Fissured tongue
Furrowed tongue
Scrotal tongue

Excludes1: fissured tongue, congenital (Q38.3)

K14.8 Other diseases of tongue
Atrophy of tongue
Crenated tongue
Enlargement of tongue
Glossocele
Glossoptosis
Hypertrophy of tongue

K14.9 Disease of tongue, unspecified
Glossopathy, NOS

Diseases of esophagus, stomach and duodenum (K20-K31)

K20 Esophagitis

Use additional code to identify:

alcohol abuse and dependence (F10.-)

Excludes1: erosion of esophagus (K22.1-)
esophagitis with gastro-esophageal reflux disease (K21.0-)
reflux esophagitis (K21.0-)
ulcerative esophagitis (K22.1-)

Excludes2: eosinophilic gastritis or gastroenteritis (K52.81)

K20.0 Eosinophilic esophagitis

K20.8 Other esophagitis

K20.80 Other esophagitis without bleeding
Abscess of esophagus
Other esophagitis NOS

K20.81 Other esophagitis with bleeding

K20.9 Esophagitis, unspecified

K20.90 Esophagitis, unspecified without bleeding
Esophagitis NOS

K20.91 Esophagitis, unspecified with bleeding

K21 Gastro-esophageal reflux disease

Excludes1: newborn esophageal reflux (P78.83)

K21.0 Gastro-esophageal reflux disease with esophagitis

K21.00 Gastro-esophageal reflux disease with esophagitis, without bleeding
Reflux esophagitis

K21.01 Gastro-esophageal reflux disease with esophagitis, with bleeding

K21.9 Gastro-esophageal reflux disease without esophagitis
Esophageal reflux NOS

○ **K22** Other disease of esophagus

Excludes2: esophageal varices (I85.-)

Ch. 13: Diseases of the musculoskeletal system and connective tissue (M00-M99)

Note: Use an external cause code following the code for the musculoskeletal condition, if applicable, to identify the cause of the musculoskeletal condition

Excludes2: arthropathic psoriasis (L40.5-)
certain conditions originating in the perinatal period (P04-P96)
certain infectious and parasitic diseases (A00-B99)
compartment syndrome (traumatic) (T79.A-)
complications of pregnancy, childbirth and the puerperium (O00-O9A)
congenital malformations, deformations, and chromosomal abnormalities (Q00-Q99)
endocrine, nutritional and metabolic diseases (E00-E88)
injury, poisoning and certain other consequences of external causes (S00-T88)
neoplasms (C00-D49)
symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R94)

Dentofacial anomalies [including malocclusion] and other disorders of jaw (M26-M27)

Excludes1: hemifacial atrophy or hypertrophy (Q67.4)
unilateral condylar hyperplasia or hypoplasia (M27.8)

M26 Dentofacial anomalies [including malocclusion]

M26.0 Major anomalies of jaw size

Excludes1: acromegaly (E22.0)
Robin's syndrome (Q87.0)

M26.00 Unspecified anomaly of jaw size

M26.01 Maxillary hyperplasia

M26.02 Maxillary hypoplasia

M26.03 Mandibular hyperplasia

M26.04 Mandibular hypoplasia

M26.05 Macrogenia

M26.06 Microgenia

M26.07 Excessive tuberosity of jaw
Entire maxillary tuberosity

M26.09 Other specified anomalies of jaw size

M26.1 Anomalies of jaw-cranial base relationship

M26.10 Unspecified anomaly of jaw-cranial base relationship

- M26.11** Maxillary asymmetry
- M26.12** Other jaw asymmetry
- M26.19** Other specified anomalies of jaw-cranial base relationship
- M26.2** Anomalies of dental arch relationship
 - M26.20** Unspecified anomaly of dental arch relationship
 - M26.21** Malocclusion, Angle's class
 - M26.211** Malocclusion, Angle's class I
Neutro-occlusion
 - M26.212** Malocclusion, Angle's class II
Disto-occlusion Division I
Disto-occlusion Division II
 - M26.213** Malocclusion, Angle's class III
Mesio-occlusion
 - M26.219** Malocclusion, Angle's class, unspecified
 - M26.22** Open occlusal relationship
 - M26.220** Open anterior occlusal relationship
Anterior open bite
 - M26.221** Open posterior occlusal relationship
Posterior open bite
 - M26.23** Excessive horizontal overlap
Excessive horizontal overjet
 - M26.24** Reverse articulation
Crossbite (anterior) (posterior)
 - M26.25** Anomalies of interarch distance
 - M26.29** Other anomalies of dental arch relationship
Midline deviation of dental arch
Overbite (excessive) deep
Overbite (excessive) horizontal
Overbite (excessive) vertical
Posterior lingual occlusion of mandibular teeth
- M26.3** Anomalies of tooth position of fully erupted tooth or teeth
- M26.4** Malocclusion, unspecified
- M26.5** Dentofacial functional abnormalities
 - Excludes1:** bruxism (F45.8)
teeth-grinding NOS (F45.8)
 - M26.50** Dentofacial functional abnormalities, unspecified
 - M26.51** Abnormal jaw closure
 - M26.52** Limited mandibular range of motion
 - M26.53** Deviation in opening and closing of the mandible
 - M26.54** Insufficient anterior guidance

Insufficient anterior occlusal guidance

M26.55 Centric occlusion maximum intercuspation discrepancy

Excludes1: centric occlusion NOS (M26.59)

M26.56 Non-working side interference

Balancing side interference

M26.57 Lack of posterior occlusal support

M26.59 Other dentofacial functional abnormalities

Centric occlusion (of teeth) NOS

Malocclusion due to abnormal swallowing

Malocclusion due to mouth breathing

Malocclusion due to tongue, lip or finger habits

M26.6 Temporomandibular joint disorders

Excludes2: current temporomandibular joint dislocation (S03.0)

current temporomandibular joint sprain (S03.4)

current temporomandibular joint sprain (S03.4)

M26.60 Temporomandibular joint disorder, unspecified

M26.601 Right temporomandibular joint disorder, unspecified

M26.602 Left temporomandibular joint disorder, unspecified

M26.603 Bilateral temporomandibular joint disorder, unspecified

M26.609 Unspecified temporomandibular joint disorder, unspecified

Temporomandibular joint disorder NOS

M26.61 Adhesions and ankylosis of temporomandibular joint

M26.611 Adhesions and ankylosis of right temporomandibular joint

M26.612 Adhesions and ankylosis of left temporomandibular joint

M26.613 Adhesions and ankylosis of bilateral temporomandibular joint

M26.619 Adhesions and ankylosis of temporomandibular joint, unspecified side

M26.62 Arthralgia of temporomandibular joint

M26.621 Arthralgia of right temporomandibular joint

M26.622 Arthralgia of left temporomandibular joint

M26.623 Arthralgia of bilateral temporomandibular joint

M26.629 Arthralgia of temporomandibular joint, unspecified side

M26.63 Articular disc disorder of temporomandibular joint

M26.631 Articular disc disorder of right temporomandibular joint

M26.632 Articular disc disorder of left temporomandibular joint

M26.633 Articular disc disorder of bilateral temporomandibular joint

M26.639 Articular disc disorder of temporomandibular joint, unspecified side

M26.64 Arthritis of temporomandibular joint

M26.641 Arthritis of right temporomandibular joint

- M26.642** Arthritis of left temporomandibular joint
- M26.643** Arthritis of bilateral temporomandibular joint
- M26.642** Arthritis of unspecified temporomandibular joint
- M26.65** Arthropathy of temporomandibular joint
 - M26.651** Arthropathy of right temporomandibular joint
 - M26.652** Arthropathy of left temporomandibular joint
 - M26.653** Arthropathy of bilateral temporomandibular joint
 - M26.652** Arthropathy of unspecified temporomandibular joint
- M26.69** Other specified disorders of temporomandibular joint
- M26.7** Dental alveolar anomalies
 - M26.70** Unspecified alveolar anomaly
 - M26.71** Alveolar maxillary hyperplasia
 - M26.72** Alveolar mandibular hyperplasia
 - M26.73** Alveolar maxillary hypoplasia
 - M26.74** Alveolar mandibular hypoplasia
 - M26.79** Other specified alveolar anomalies
- M26.8** Other dentofacial anomalies
 - M26.81** Anterior soft tissue impingement
Anterior soft tissue impingement on teeth
 - M26.82** Posterior soft tissue impingement
Posterior soft tissue impingement on teeth
 - M26.89** Other dentofacial anomalies
- M26.9** Dentofacial anomaly, unspecified

Systemic connective tissue disorders (M30-M36)

- M35** Other systemic involvement of connective tissue
 - M35.8** Other specified systemic involvement of connective tissue
 - M35.81** Multisystem inflammatory syndrome
 - MIS-A
 - MIS-C
 - Multisystem inflammatory syndrome in adults
 - Multisystem inflammatory syndrome in children
 - Pediatric inflammatory multisystem syndrome
 - PIMS
- Code first**, if applicable, COVID-19 (U07.1)
- Code also** any associated complications such as:
- acute hepatic failure (K72.0-)
 - acute kidney failure (N17.-)
 - acute myocarditis (I40.-)
 - acute respiratory distress syndrome (J80)

cardiac arrhythmia (I47-I49.-)
 pneumonia due to COVID-19 (J12.82)
 severe sepsis (R65.2-)
 viral cardiomyopathy (B33.24)
 viral pericarditis (B33.23)

Use Additional code, if applicable, for:

exposure to COVID-19 or SARS-CoV-2 infection (Z20.822)
 personal history of COVID-19 (Z86.16)
 post COVID-19 condition (U09.9)

M35.89 Other specified systemic involvement of connective tissue

Ch. 16: Certain conditions originating in the perinatal period (P00-P96)

Note: Codes from this chapter are for use on newborn records only, never on maternal records

Includes: conditions that have their origin in the fetal or perinatal period (before birth through the first 28 days after birth) even if morbidity occurs later

Excludes2: congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
 endocrine, nutritional and metabolic diseases (E00-E88)
 injury, poisoning and certain other consequences of external causes (S00-T88)
 neoplasms (C00-D49)
 tetanus neonatorum (A33)

Newborn affected by maternal factors and by complications of pregnancy, labor, and delivery (P00-P04)

Note: These codes are for use when the listed maternal conditions are specified as the cause of confirmed morbidity or potential morbidity which have their origin in the perinatal period (before birth through the first 28 days after birth)

P04 Newborn affected by noxious substances transmitted via placenta or breast milk

Includes: nonteratogenic effects of substances transmitted via placenta

Excludes2: congenital malformations (Q00-Q99)
 encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-)
 neonatal jaundice from excessive hemolysis due to drugs or toxins transmitted from mother (P58.4)
 newborn in contact with and (suspected) exposures hazardous to health not transmitted via placenta or breast milk (Z77.-)

P04.3 Newborn (suspected to be) affected by maternal use of alcohol

Excludes1: fetal alcohol syndrome (Q86.0)

Abnormal findings on neonatal screening (P09)

P09 Abnormal findings on neonatal screening

Includes: Abnormal findings on state mandated newborn screens
 Failed newborn screening

Excludes2: nonspecific serologic evidence of human immunodeficiency virus [HIV] (R75)

P09.6 Abnormal findings on neonatal screening for neonatal hearing loss

Excludes2: encounter for hearing examination following failed hearing screening (Z01.110)

P09.8 Other abnormal findings on neonatal screening

P09.9 Abnormal findings on neonatal screening, unspecified

Other disorders originating in the perinatal period (P90-P96)

P92 Feeding problems of newborn

Excludes1: eating disorders (F50.-)

Excludes2: feeding problems in child over 28 days old (R63.3-)

P92.1 Regurgitating and rumination of newborn

P92.2 Slow feeding of newborn

P92.3 Underfeeding of newborn

P92.4 Overfeeding of newborn

P92.5 Neonatal difficulty in feeding at breast

P92.6 Failure to thrive in newborn

Excludes1: failure to thrive in child over 28 days old (R62.51)

P92.8 Other feeding problems of newborn

P92.9 Feeding problem of newborn, unspecified

Ch. 17: Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Note: Codes from this chapter are not for use on maternal records

Excludes2: inborn errors of metabolism (E70-E88)

Congenital malformations of the nervous system (Q00-Q07)

Q02 Microcephaly

Includes: hydromicrocephaly
micrencephalon

Code first, if applicable, congenital Zika virus disease

Excludes1: Meckel-Gruber syndrome (Q61.9)

○ **Q03** Congenital hydrocephalus

Q04 Other congenital malformations of brain

Excludes1: cyclopia (Q87.0)
macrocephaly (Q75.3)

Q04.3 Other reduction deformities of brain

Absence of part of brain
Agenesis of part of brain
Agyria

Aplasia of part of brain
 Hydranencephaly
 Hypoplasia of part of brain
 Lissencephaly
 Microgyria
 Pachygyria

Excludes1: congenital malformations of corpus callosum (Q04.0)

○ **Q05** Spina bifida

Congenital malformations of eye, ear, face and neck (Q10-Q18)

Excludes2: cleft lip and cleft palate (Q35-Q37)
 congenital malformation of cervical spine (Q05.0, Q05.5, Q67.5, Q76.0-Q76.4)
 congenital malformation of larynx (Q31.-)
 congenital malformation of lip NEC (Q38.0)
 congenital malformation of nose (Q30.-)
 congenital malformation of parathyroid gland (Q89.2)
 congenital malformation of thyroid gland (Q89.2)

Q16 Congenital malformations of ear causing impairment of hearing

Excludes1: congenital deafness (H90.-)

Q16.0 Congenital absence of (ear) auricle

Q16.1 Congenital absence, atresia and stricture of auditory canal (external)
 Congenital atresia or stricture of osseous meatus

Q16.2 Absence of eustachian tube

Q16.3 Congenital malformation of ear ossicles
 Congenital fusion of ear ossicles

Q16.4 Other congenital malformations of middle ear
 Congenital malformation of middle ear NOS

Q16.5 Congenital malformation of inner ear
 Congenital anomaly of membranous labyrinth
 Congenital anomaly of organ of Corti

Q16.9 Congenital malformation of ear causing impairment of hearing, unspecified
 Congenital absence of ear NOS

Q17 Other congenital malformations of ear

Excludes1: congenital malformations of ear with impairment of hearing (Q16.0-Q16.9)
 preauricular sinus (Q18.1)

Q17.0 Accessory auricle
 Accessory tragus
 Polyotia
 Preauricular appendage or tag
 Supernumerary ear
 Supernumerary lobule

Q17.1 Macrotia

Q17.2 Microtia

Q17.3 Other misshapen ear

Pointed ear

Q17.4 Misplaced ear

Low-set ears

Excludes1: cervical auricle (Q18.2)**Q17.5** Prominent ear

Bat ear

Q17.8 Other specified congenital malformations of ear

Congenital absence of lobe of ear

Q17.9 Congenital malformation of ear, unspecified

Congenital anomaly of ear NOS

Congenital malformations of the respiratory system (Q30-Q34)**Q31** Congenital malformations of larynx**Excludes1:** congenital laryngeal stridor NOS (P28.89)**Q31.0** Web of larynx

Glottic web of larynx

Subglottic web of larynx

Web of larynx NOS

Q31.1 Congenital subglottic stenosis**Q31.2** Laryngeal hypoplasia**Q31.3** Laryngocele**Q31.5** Congenital laryngomalacia**Q31.8** Other congenital malformations of larynx

Absence of larynx

Agenesis of larynx

Atresia of larynx

Congenital cleft thyroid cartilage

Congenital fissure of epiglottis

Congenital stenosis of larynx NEC

Posterior cleft of cricoid cartilage

Q31.9 Congenital malformation of larynx, unspecified***Cleft lip and cleft palate (Q35-Q37)*****Use additional** code to identify associated malformation of the nose (Q30.2)**Excludes2:** Robin's syndrome (Q87.0)**Q35** Cleft palate**Includes:** fissure of palate

palatoschisis

Excludes1: cleft palate with cleft lip (Q37.-)**Q35.1** Cleft hard palate

Q35.3 Cleft soft palate

Q35.5 Cleft hard palate with cleft soft palate

Q35.7 Cleft uvula

Q35.9 Cleft palate, unspecified
Cleft palate NOS

Q36 Cleft lip

Includes: cheiloschisis
congenital fissure of lip
harelip
labium leporinum

Excludes1: cleft lip with cleft palate (Q37.-)

Q36.0 Cleft lip, bilateral

Q36.1 Cleft lip, median

Q36.9 Cleft lip, unilateral
Cleft lip NOS

Q37 Cleft palate with cleft lip

Includes: cheilopalatoschisis

Q37.0 Cleft hard palate with bilateral cleft lip

Q37.1 Cleft hard palate with unilateral cleft lip
Cleft hard palate with cleft lip NOS

Q37.2 Cleft soft palate with bilateral cleft lip

Q37.3 Cleft soft palate with unilateral cleft lip
Cleft soft palate with cleft lip NOS

Q37.4 Cleft hard and soft palate with bilateral cleft lip

Q37.5 Cleft hard and soft palate with unilateral cleft lip
Cleft hard and soft palate with cleft lip NOS

Q37.8 Unspecified cleft palate with bilateral cleft lip

Q37.9 Unspecified cleft palate with unilateral cleft lip
Cleft palate with cleft lip NOS

Other congenital malformations of the digestive system (Q38-Q45)

Q38 Other congenital malformations of tongue, mouth and pharynx

Excludes1: dentofacial anomalies (M26.-)
macrostomia (Q18.4)
microstomia (Q18.5)

Q38.0 Congenital malformations of lips, not elsewhere classified
Congenital fistula of lip
Congenital malformation of lip NOS
Van der Woude's syndrome

Excludes1: cleft lip (Q36.-)
cleft lip with cleft palate (Q37.-)

macrocheilia (Q18.6)

microcheilia (Q18.7)

Q38.1 Ankyloglossia

Tongue tie

Q38.2 Macroglossia

Congenital hypertrophy of tongue

Q38.3 Other congenital malformations of tongue

Aglossia

Bifid tongue

Congenital adhesion of tongue

Congenital fissure of tongue

Congenital malformation of tongue NOS

Double tongue

Hypoglossia

Hypoplasia of tongue

Microglossia

Q38.4 Congenital malformations of salivary glands and ducts

Atresia of salivary glands and ducts

Congenital absence of salivary glands and ducts

Congenital accessory salivary glands and ducts

Congenital fistula of salivary gland

Q38.5 Congenital malformations of palate, not elsewhere classified

Congenital absence of uvula

Congenital malformation of palate NOS

Congenital high arched palate

Excludes1: cleft palate (Q35.-)

cleft palate with cleft lip (Q37.-)

Q38.6 Other congenital malformations of mouth

Congenital malformation of mouth NOS

Q38.7 Congenital pharyngeal pouch

Congenital diverticulum of pharynx

Excludes1: pharyngeal pouch syndrome (D82.1)

Q38.8 Other congenital malformations of pharynx

Congenital malformation of pharynx NOS

Imperforate pharynx

Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)

Q67 Congenital musculoskeletal deformities of head, face, spine and chest

Excludes1: congenital malformation syndromes classified to Q87.-

Potter's syndrome (Q60.6)

Q67.0 Congenital facial asymmetry

Q67.4 Other congenital deformities of skull, face and jaw

Congenital depressions in skull

Congenital hemifacial atrophy or hypertrophy

Deviation of nasal septum, congenital

Squashed or bent nose, congenital

Excludes1: dentofacial anomalies [including malocclusion] (M26.-)
syphilitic saddle nose (A50.5)

Other congenital malformations (Q80-Q89)

Q86 Congenital malformation syndromes due to known exogenous causes, not elsewhere classified

Excludes2: iodine-deficiency-related hypothyroidism (E00-E02)
nonteratogenic effects of substances transmitted via placenta or breast milk (P04.-)

Q86.0 Fetal alcohol syndrome (dysmorphic)

Chromosomal abnormalities, not elsewhere classified (Q90-Q99)

Excludes2: mitochondrial metabolic disorders (E88.4-)

Q90 Down syndrome

Code also associated physical condition(s), such as atrioventricular septal defect (Q21.2-)

Use additional code(s) to identify any associated degree of intellectual disabilities (F70-F79)

Q90.0 Trisomy 21, nonmosaicism (meiotic nondisjunction)

Q90.1 Trisomy 21, mosaicism (mitotic nondisjunction)

Q90.2 Trisomy 21, translocation

Q90.9 Down syndrome, unspecified
Trisomy 21 NOS

Q91 Trisomy 18 and Trisomy 13

Q91.0 Trisomy 18, nonmosaicism (meiotic nondisjunction)

Q91.1 Trisomy 18, mosaicism (mitotic nondisjunction)

Q91.2 Trisomy 18, translocation

Q91.3 Trisomy 18, unspecified

Q91.4 Trisomy 13, nonmosaicism (meiotic nondisjunction)

Q91.5 Trisomy 13, mosaicism (mitotic nondisjunction)

Q91.6 Trisomy 13, translocation

Q91.7 Trisomy 13, unspecified

Q93 Monosomies and deletions from the autosomes, not elsewhere classified

Q93.3 Deletion of short arm of chromosome 4
Wolff-Hirschorn syndrome

Q93.4 Deletion of short arm of chromosome 5
Cri-du-chat syndrome

Q93.5 Other deletions of part of a chromosome

Q93.51 Angelman syndrome

Q93.52 Phelan-McDermid syndrome
22q13.3 deletion syndrome

Use Additional code(s) to identify any associated conditions, such as:

autism spectrum disorder (F84.0)
 degree of intellectual disabilities (F70-F79)
 epilepsy and recurrent seizures (G40.-)
 lymphedema (I89.0)

Q93.59 Other deletions of part of a chromosome

Q93.8 Other deletions from the autosomes

Q93.81 Velo-cardio-facial syndrome
 Deletion 22q11.2

Q93.82 Williams syndrome

Q98 Other sex chromosome abnormalities, male phenotype, not elsewhere classified

Q98.0 Klinefelter syndrome karyotype 47, XXY

Q98.1 Klinefelter syndrome, male with more than two X chromosomes

Q99 Other chromosome abnormalities, not elsewhere classifiable

Q99.2 Fragile X chromosome
 Fragile X syndrome

Ch. 18: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Note: This chapter includes symptoms, signs, abnormal results of clinical or other investigative procedures, and ill-defined conditions regarding which no diagnosis classifiable elsewhere is recorded.

Signs and symptoms that point rather definitely to a given diagnosis have been assigned to a category in other chapters of the classification. In general, categories in this chapter include the less well-defined conditions and symptoms that, without the necessary study of the case to establish a final diagnosis, point perhaps equally to two or more diseases or to two or more systems of the body. Practically all categories in the chapter could be designated 'not otherwise specified', 'unknown etiology' or 'transient'. The Alphabetical Index should be consulted to determine which symptoms and signs are to be allocated here and which to other chapters. The residual subcategories, numbered .8, are generally provided for other relevant symptoms that cannot be allocated elsewhere in the classification.

The conditions and signs or symptoms included in categories R00-R94 consist of:

- (a) cases for which no more specific diagnosis can be made even after all the facts bearing on the case have been investigated;
- (b) signs or symptoms existing at the time of initial encounter that proved to be transient and whose causes could not be determined;
- (c) provisional diagnosis in a patient who failed to return for further investigation or care;
- (d) cases referred elsewhere for investigation or treatment before the diagnosis was made;
- (e) cases in which a more precise diagnosis was not available for any other reason;
- (f) certain symptoms, for which supplementary information is provided, that represent important problems in medical care in their own right.

Excludes2: abnormal findings on antenatal screening of mother (O28.-)
 certain conditions originating in the perinatal period (P04-P96)

signs and symptoms classified in the body system chapters
signs and symptoms of breast (N63, N64.5)

Symptoms and signs involving the circulatory and respiratory systems (R00-R09)

R05 Cough

Excludes1: paroxysmal cough due to *Bordetella pertussis* (A37.0-)
smoker's cough (J41.0)

Excludes2: cough with hemorrhage (R04.2)

R05.1 Acute cough

R05.2 Subacute cough

R05.3 Chronic cough
Persistent cough
Refractory cough
Unexplained cough

R05.4 Cough syncope

Code first syncope and collapse (R55)

R05.8 Other specified cough

R05.9 Cough, unspecified

R06 Abnormalities of breathing

Excludes1: acute respiratory distress syndrome (J80)
respiratory arrest (R09.2)
respiratory arrest of newborn (P28.81)
respiratory distress syndrome of newborn (P22.-)
respiratory failure (J96.-)
respiratory failure of newborn (P28.5)

R06.0 Dyspnea

Excludes1: tachypnea NOS (R06.82)
transient tachypnea of newborn (P22.1)

R06.00 Dyspnea, unspecified

R06.01 Orthopnea

R06.02 Shortness of breath

R06.03 Acute respiratory distress

R06.09 Other forms of dyspnea

R06.1 Stridor

Excludes1: congenital laryngeal stridor (P28.89)
laryngismus (stridulus) (J38.5)

R09 Other symptoms and signs involving the circulatory and respiratory system

R09.A Foreign body sensation of the circulatory and respiratory system

R09.A2 Foreign body sensation, throat
Foreign body sensation globus

Use the **R00-R99** series when the communication or swallowing disorder is due to a documented medical condition. Include the appropriate ICD-10 code for the medical diagnosis to support your claim.

See also: **I69-** series for disorders due to stroke.

Symptoms and signs involving the digestive system and abdomen (R10-R19)**R12** Heartburn

Excludes1: dyspepsia NOS (R10.13)
functional dyspepsia (K30)

R13 Aphagia and dysphagia**R13.0** Aphagia

Inability to swallow

Excludes1: psychogenic aphagia (F50.9)

R13.1 Dysphagia

Code first, if applicable, dysphagia following cerebrovascular disease (I69.- with final characters -91)

Excludes1: psychogenic dysphagia (F45.8)

R13.10 Dysphagia, unspecified
Difficulty in swallowing NOS

▶ **R13.11** Dysphagia, oral phase

▶ **R13.12** Dysphagia, oropharyngeal phase

▶ **R13.13** Dysphagia, pharyngeal phase

▶ **R13.14** Dysphagia, pharyngoesophageal phase

▶ **R13.19** Other dysphagia
Cervical dysphagia
Neurogenic dysphagia

Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29)**R27** Other lack of coordination

Excludes1: ataxic gait (R26.0)
hereditary ataxia (G11.-)
vertigo NOS (R42)

R27.0 Ataxia, unspecified

Excludes1: ataxia following cerebrovascular disease (I69. with final characters -93)

R27.8 Other lack of coordination**R27.9** Unspecified lack of coordination**R29** Other symptoms and signs involving the nervous and musculoskeletal systems**R29.8** Other symptoms and signs involving the nervous and musculoskeletal systems**R29.81** Other symptoms and signs involving the nervous system

R29.810 Facial weakness
Facial droop

Excludes1: Bell's palsy (G51.0)
facial weakness following cerebrovascular disease (I69. with final characters-92)

R29.818 Other symptoms and signs involving the nervous system***Symptoms and signs involving cognition, perception, emotional state and behavior (R40-R46)*****Excludes2:** symptoms and signs constituting part of a pattern of mental disorder (F01-F99)**R40** Somnolence, stupor and coma**Excludes1:** neonatal coma (P91.5)

somnolence, stupor and coma in diabetes (E08-E13)

somnolence, stupor and coma in hepatic failure (K72.-)

somnolence, stupor and coma in hypoglycemia (nondiabetic) (E15)

R40.2 Coma**Code first** any associated:

Fracture of skull (S02.-)

Intracranial injury (S06.-)

R40.24 Glasgow coma scale, total score**Note:** Assign a code from subcategory R40.24, when only the total coma score is documented

The following appropriate 7th character is to be added to subcategory R40.24-:

0 – unspecified time

1 – in the field [EMT or ambulance]

2 – at arrival to emergency department

3 – at hospital admission

4 – 24 hours or more after hospital admission

R40.241 Glasgow coma scale score 13-15**R40.242** Glasgow coma scale score 9-12**R40.243** Glasgow coma scale score 3-8**R40.244** Other coma, without documented Glasgow coma scale score, or with partial score reported**R41** Other symptoms and signs involving cognitive functions and awareness**Excludes1:** dissociative [conversion] disorders (F44.-)

mild cognitive impairment of uncertain or unknown etiology (G31.84)

R41.0 Disorientation, unspecified

Confusion NOS

Delirium NOS

R41.1 Anterograde amnesia**R41.2** Retrograde amnesia**R41.3** Other amnesia

Amnesia NOS

Memory loss NOS

Excludes1: amnestic disorder due to known physiologic condition (F04)

amnestic syndrome due to psychoactive substance use (F10-F19 with 5th character .6)

mild memory disturbance due to known physiological condition (F06.8)
 transient global amnesia (G45.4)
Added delirium due to known physiological condition (F05)

R41.4 Neurologic neglect syndrome

Asomatognosia
 Hemi-akinesia
 Hemi-inattention
 Hemispatial neglect
 Left-sided neglect
 Sensory neglect
 Visuospatial neglect

Excludes1: visuospatial deficit (R41.842)

R41.8 Other symptoms and signs involving cognitive functions and awareness

R41.81 Age-related cognitive decline
 Senility NOS

R41.82 Altered mental status, unspecified
 Change in mental status NOS

Excludes1: altered level of consciousness (R40.-)
 altered mental status due to known condition - code to condition
 delirium NOS (R41.0)

R41.83 Borderline intellectual functioning
 IQ level 71 to 84

Excludes1: intellectual disabilities (F70-F79)

R41.84 Other specified cognitive deficit

Added **Code first** the underlying condition, if known, such as:
 Schizophrenia (F20.-)

Excludes1: cognitive deficits as sequelae of cerebrovascular disease (I69.01-, I69.11-, I69.21-, I69.31-, I69.81-, I69.91-)

► **R41.840** Attention and concentration deficit

Excludes1: attention-deficit hyperactivity disorders (F90.-)

► **R41.841** Cognitive communication deficit

R41.842 Visuospatial deficit

R41.843 Psychomotor deficit

► **R41.844** Frontal lobe and executive function deficit

R41.89 Other symptoms and signs involving cognitive functions and awareness

R41.9 Unspecified symptoms and signs involving cognitive functions and awareness
 Unspecified neurocognitive disorder

R44 Other symptoms and signs involving general sensations and perceptions

Excludes1: alcoholic hallucinations (F1.5)
 hallucinations in drug psychosis (F11-F19 with .5)
 hallucinations in mood disorders with psychotic symptoms (F30.2, F31.5, F32.3, F33.3)

For more information on the use of the “other specified cognitive deficit” codes, see: bit.ly/CognitiveReimbursement

hallucinations in schizophrenia, schizotypal and delusional disorders (F20-F29)

Excludes2: disturbances of skin sensation (R20.-)

R44.0 Auditory hallucinations

Symptoms and signs involving speech and voice (R47-R49)

R47 Speech disturbances, not elsewhere classified

Excludes1: autism (F84.0)
cluttering (F80.81)
specific developmental disorders of speech and language (F80.-)
stuttering (F80.81)

The code for autism spectrum disorder (**F84.0**) is excluded from the **R47** series. Use **F80.0** for speech disorders reported with autism.

R47.0 Dysphasia and aphasia

▶ **R47.01** Aphasia

Excludes1: aphasia following cerebrovascular disease (I69. with final characters -20)
progressive isolated aphasia (G31.01)

▶ **R47.02** Dysphasia

Excludes1: dysphasia following cerebrovascular disease (I69. with final characters -21)

▶ **R47.1** Dysarthria and anarthria

Excludes1: dysarthria following cerebrovascular disease (I69. with final characters -22)

R47.8 Other speech disturbances

Excludes1: dysarthria following cerebrovascular disease (I69. with final characters -28)

▶ **R47.81** Slurred speech

▶ **R47.82** Fluency disorder in conditions classified elsewhere
Stuttering in conditions classified elsewhere

Code first: underlying disease or condition, such as:
Parkinson's disease (G20.-)

Excludes1: adult onset fluency disorder (F98.5)
childhood onset fluency disorder (F80.81)
fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)

▶ **R47.89** Other speech disturbances

R47.9 Unspecified speech disturbances

R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified

Excludes1: specific developmental disorders of scholastic skills (F81.-)

▶ **R48.0** Dyslexia and alexia

▶ **R48.1** Agnosia
Astereognosia (astereognosis)
Autotopagnosia

Excludes1: visual object agnosia H53.16

► **R48.2** Apraxia

Excludes1: apraxia following cerebrovascular disease (I69. with final characters -90)

- R48.3** Visual agnosia
Prosopagnosia
Simultanagnosia (asimultanagnosia)

► **R48.8** Other symbolic dysfunctions
Acalculia
Agraphia

R48.9 Unspecified symbolic dysfunctions

R48.8 can be used to capture **neurological language impairments** when there is documented medical information to support the diagnosis. Unless caused by stroke (I69.-), cognitive impairments may also be captured here or with **R41.841**. **See also:** bit.ly/CognitiveReimbursement

R49 Voice and resonance disorders

Excludes1: psychogenic voice and resonance disorders (F44.4)

► **R49.0** Dysphonia
Hoarseness

► **R49.1** Aphonia
Loss of voice

R49.2 Hypernasality and hyponasality

► **R49.21** Hypernasality

► **R49.22** Hyponasality

► **R49.8** Other voice and resonance disorders

R49.9 Unspecified voice and resonance disorder
Change in voice NOS
Resonance disorder NOS

General symptoms and signs (R50-R69)

R62 Lack of expected normal physiological development in childhood and adults

Excludes1: delayed puberty (E30.0)
gonadal dysgenesis (Q99.1)
hypopituitarism (E23.0)

► **R62.0** Delayed milestone in childhood
Delayed attainment of expected physiological developmental stage
Late talker
Late walker

R62.5 Other and unspecified lack of expected normal physiological development in childhood

Excludes1: HIV disease resulting in failure to thrive (B20)
physical retardation due to malnutrition (E45)

R62.50 Unspecified lack of expected normal physiological development in childhood
Infantilism NOS

R62.51 Failure to thrive (child)
Failure to gain weight

Excludes1: failure to thrive in child under 28 days old (P92.6)

R63 Symptoms and signs concerning food and fluid intake**Excludes1:** bulimia NOS (F50.2-)**R63.3** Feeding difficulties

Feeding problem (elderly) (infant) NOS

Picky eater

Excludes2: eating disorders (F50.-)

feeding problems of newborn (P92.-)

infant feeding disorder of nonorganic origin (F98.2)

R63.30 Feeding difficulties, unspecified

- ▶ **R63.31** Pediatric feeding disorder, acute
Pediatric feeding dysfunction, acute

Code also, if applicable, associated conditions such as:

aspiration pneumonia (J69.0)

dysphagia (R13.1-)

gastro-esophageal reflux disease (K21.-)

malnutrition (E40-E46)

- ▶ **R63.32** Pediatric feeding disorder, chronic
Pediatric feeding dysfunction, chronic

Code also, if applicable, associated conditions such as:

aspiration pneumonia (J69.0)

dysphagia (R13.1-)

gastro-esophageal reflux disease (K21.-)

malnutrition (E40-E46)

- ▶ **R63.39** Other feeding difficulties
Feeding problem (elderly) (infant) NOS
Picky eater

R63.4 Abnormal weight loss**R64** Cachexia**Excludes1:** abnormal weight loss (R63.4)

cachexia due to underlying condition (E88.A)

nutritional marasmus (E41)

Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)**R94** Abnormal results of function studies**R94.0** Abnormal results of function studies of central nervous system**R94.01** Abnormal electroencephalogram [EEG]**R94.02** Abnormal brain scan**R94.09** Abnormal results of other function studies of central nervous system**R94.1** Abnormal results of function studies of peripheral nervous system and special senses**R94.12** Abnormal results of function studies of ear and other special senses**R94.120** Abnormal auditory function study

R94.121 Abnormal vestibular function study

R94.128 Abnormal results of other function studies of ear and other special senses

Ch. 19: Injury, poisoning and certain other consequences of external causes (S00-T88)

Note: Use secondary code(s) from Chapter 20, External causes of morbidity, to indicate cause of injury. Codes within the T section that include the external cause do not require an additional external cause code

Use additional code to identify any retained foreign body, if applicable (Z18.-)

Excludes1: birth trauma (P10-P15)
obstetric trauma (O70-O71)

This chapter contains the following blocks:

S00-S09: [Injuries to the head](#)

S10-S19: [Injuries to the neck](#)

T15-T19: [Effects of foreign body entering through natural orifice](#)

T36-T50: [Poisoning by, adverse effect of and underdosing of drugs, medicaments and biological substances](#)

T51-T65: [Toxic effects of substances chiefly nonmedicinal as to source](#)

Note: The chapter uses the S-section for coding different types of injuries related to single body regions and the T-section to cover injuries to unspecified body regions as well as poisoning and certain other consequences of external causes.

Injuries to the head (S00-S09)

Includes: injuries of ear
injuries of eye
injuries of face [any part]
injuries of gum
injuries of jaw
injuries of oral cavity
injuries of palate
injuries of periocular area
injuries of scalp
injuries of temporomandibular joint area
injuries of tongue
injuries of tooth

Excludes2: burns and corrosions (T20-T32)
effects of foreign body in ear (T16)
effects of foreign body in larynx (T17.3)
effects of foreign body in mouth NOS (T18.0)
effects of foreign body in nose (T17.0-T17.1)
effects of foreign body in pharynx (T17.2)
effects of foreign body on external eye (T15.-)
frostbite (T33-T34)

S00 Superficial injury of head

Excludes1: diffuse cerebral contusion (S06.2-)
focal cerebral contusion (S06.3-)
injury of eye and orbit (S05.-)
open wound of head (S01.-)

The appropriate 7th character is to be added to each code from category S00

A - initial encounter
D - subsequent encounter
S - sequela

S00.5 Superficial injury of lip and oral cavity**S01** Open wound of head

Code also any associated:

injury of cranial nerve (S04.-)
injury of muscle and tendon of head (S09.1-)
intracranial injury (S06.-)
wound infection

Excludes1: open skull fracture (S02.- with 7th character B)

Excludes2: injury of eye and orbit (S05.-)
traumatic amputation of part of head (S08.-)

The appropriate 7th character is to be added to each code from category S01

A - initial encounter
D - subsequent encounter
S - sequela

S01.5 Open wound of lip and oral cavity **S02** Fracture of skull and facial bones

Note: A fracture not indicated as open or closed should be coded to closed

Code also any associated intracranial injury (S06.-)

The appropriate 7th character is to be added to each code from category S02

A - initial encounter for closed fracture
B - initial encounter for open fracture
D - subsequent encounter for fracture with routine healing
G - subsequent encounter for fracture with delayed healing
K - subsequent encounter for fracture with nonunion
S - sequela

S06 Intracranial injury

Includes: traumatic brain injury

Code also any associated:

open wound of head (S01.-)
skull fracture (S02.-)

Excludes2: head injury NOS (S09.90)

The appropriate 7th character is to be added to each code from category S06

A - initial encounter

D - subsequent encounter

S - sequela

○ **S06.0** Concussion

Comotio cerebri

Excludes1: concussion with other intracranial injuries classified in subcategories S06.1- to S06.6-, and S06.81- to S06.89-, code to specified intracranial injury

○ **S06.2** Diffuse traumatic brain injury

Diffuse axonal brain injury

Use additional code, if applicable, for traumatic brain compression or herniation (S06.A-)

Excludes1: traumatic diffuse cerebral edema (S06.1X-)

○ **S06.3** Focal traumatic brain injury

Use additional code, if applicable, for traumatic brain compression or herniation (S06.A-)

Excludes2: any condition classifiable to S06.4-S06.6
focal cerebral edema (S06.1)

Injuries to the neck (S10-S19)

Includes: injuries of nape

injuries of supraclavicular region

injuries of throat

Excludes2: burns and corrosions (T20-T32)

effects of foreign body in esophagus (T18.1)

effects of foreign body in larynx (T17.3)

effects of foreign body in pharynx (T17.2)

effects of foreign body in trachea (T17.4)

frostbite (T33-T34)

insect bite or sting, venomous (T63.4)

S12 Fracture of cervical vertebra and other parts of neck

Note: A fracture not indicated as displaced or nondisplaced should be coded to displaced

A fracture not indicated as open or closed should be coded to closed

Includes: fracture of cervical neural arch

fracture of cervical spine

fracture of cervical spinous process

fracture of cervical transverse process

fracture of cervical vertebral arch

fracture of neck

Code first any associated cervical spinal cord injury (S14.0, S14.1-)

S12.8 Fracture of other parts of neck

Hyoid bone

Larynx

Thyroid cartilage

Trachea

The appropriate 7th character is to be added to code S12.8

A - initial encounter
 D - subsequent encounter
 S - sequela

Injury, poisoning and certain other consequences of external causes (T07-T88)

ASHA note: This section is included for information purposes only. See the official ICD-10-CM resource for a complete listing of codes (www.cdc.gov/nchs/icd/icd-10-cm.htm).

Effects of foreign body entering through natural orifice (T15-T19)

Use Additional code, if known, for foreign body entering into or through a natural orifice (W44.-)

Excludes2: foreign body accidentally left in operation wound (T81.5-)
 foreign body in penetrating wound - See open wound by body region
 residual foreign body in soft tissue (M79.5)
 splinter, without open wound - See superficial injury by body region

T17 Foreign body in respiratory tract

The appropriate 7th character is to be added to each code from category T17

A - initial encounter
 D - subsequent encounter
 S - sequela

T17.2 Foreign body in pharynx Foreign body in nasopharynx Foreign body in throat NOS

T17.22 Food in pharynx
 Bones in pharynx
 Seeds in pharynx

T17.220 Food in pharynx causing asphyxiation

T17.3 Foreign body in larynx

T17.32 Food in larynx
 Bones in larynx
 Seeds in larynx

T17.320 Food in larynx causing asphyxiation

T17.4 Foreign body in trachea

T17.42 Food in trachea
 Bones in trachea
 Seeds in trachea

T17.420 Food in trachea causing asphyxiation

T18 Foreign body in alimentary tract

Excludes2: foreign body in pharynx (T17.2-)

T18.1 Foreign body in esophagus

Poisoning by, adverse effects of and underdosing of drugs, medicaments and biological substances (T36-T50)

Includes: adverse effect of correct substance properly administered
poisoning by overdose of substance
poisoning by wrong substance given or taken in error
underdosing by (inadvertently) (deliberately) taking less substance than prescribed or instructed

Code first, for adverse effects, the nature of the adverse effect, such as:

adverse effect NOS (T88.7)
aspirin gastritis (K29.-)
blood disorders (D56-D76)
contact dermatitis (L23-L25)
dermatitis due to substances taken internally (L27.-)
nephropathy (N14.0-N14.2)

Note: The drug giving rise to the adverse effect should be identified by use of codes from categories T36-T50 with fifth or sixth character 5.

Use additional code(s) to specify:

manifestations of poisoning
underdosing or failure in dosage during medical and surgical care (Y63.6, Y63.8-Y63.9)
underdosing of medication regimen (Z91.12-, Z91.13-)

Excludes1: toxic reaction to local anesthesia in pregnancy (O29.3-)

Excludes2: abuse and dependence of psychoactive substances (F10-F19)

abuse of non-dependence-producing substances (F55.-)
drug reaction and poisoning affecting newborn (P00-P96)
pathological drug intoxication (inebriation) (F10-F19)
immunodeficiency due to drugs (D84.821)

T36 Poisoning by, adverse effect of and underdosing of systemic antibiotics

Excludes1: antineoplastic antibiotics (T45.1-)

locally applied antibiotic NEC (T49.0)
topically used antibiotic for ear, nose and throat (T49.6)
topically used antibiotic for eye (T49.5)

The appropriate 7th character is to be added to each code from category T36

A - initial encounter
D - subsequent encounter
S – sequela

- **T36.0** Poisoning by, adverse effect of and underdosing of penicillins
- **T36.2** Poisoning by, adverse effect of and underdosing of chloramphenicol group
- **T36.3** Poisoning by, adverse effect of and underdosing of macrolides
- T36.4** Poisoning by, adverse effect of and underdosing of tetracyclines
 - T36.4X** Poisoning by, adverse effect of and underdosing of tetracyclines
 - T36.4X1** Poisoning by tetracyclines, accidental (unintentional)
 - Poisoning by tetracyclines NOS

Effects of Drugs:

Code **first** the communication or swallowing diagnosis that is due to an adverse effect of a **properly administered drug**.

Code the drug giving rise to the adverse effect second.

Code the communication or swallowing diagnosis **second** when it is due to poisoning from a drug or toxin.

Consult the medical record or physician for the appropriate code for the drug or toxin in section T36-T65.

T36.4X2 Poisoning by tetracyclines, intentional self-harm

T36.4X3 Poisoning by tetracyclines, assault

T36.4X4 Poisoning by tetracyclines, undetermined

T36.4X5 Adverse effect of tetracyclines

T36.4X6 Underdosing of tetracyclines

- **T36.5** Poisoning by, adverse effect of and underdosing of aminoglycosides
Poisoning by, adverse effect of and underdosing of streptomycin
- **T36.6** Poisoning by, adverse effect of and underdosing of rifampicins
- **T36.7** Poisoning by, adverse effect of and underdosing of antifungal antibiotics, systemically used
- **T36.8** Poisoning by, adverse effect of and underdosing of other systemic antibiotics
- **T36.9** Poisoning by, adverse effect of and underdosing of unspecified systemic antibiotic

T38 Poisoning by, adverse effect of and underdosing of hormones and their synthetic substitutes and antagonists, not elsewhere classified

Excludes1: mineralocorticoids and their antagonists (T50.0-)
oxytocic hormones (T48.0-)
parathyroid hormones and derivatives (T50.9-)

The appropriate 7th character is to be added to each code from category T38

A - initial encounter

D - subsequent encounter

S - sequela

- **T38.0** Poisoning by, adverse effect of and underdosing of glucocorticoids and synthetic analogues
- **T38.1** Poisoning by, adverse effect of and underdosing of thyroid hormones and substitutes
- **T38.2** Poisoning by, adverse effect of and underdosing of antithyroid drugs
- **T38.3** Poisoning by, adverse effect of and underdosing of insulin and oral hypoglycemic [antidiabetic] drugs
- T38.4** Poisoning by, adverse effect of and underdosing of oral contraceptives
Poisoning by, adverse effect of and underdosing of multiple- and single-ingredient oral contraceptive preparations
 - T38.4X** Poisoning by, adverse effect of and underdosing of oral contraceptives
 - T38.4X1** Poisoning by oral contraceptives, accidental (unintentional)
Poisoning by oral contraceptives NOS
 - T38.4X2** Poisoning by oral contraceptives, intentional self-harm
 - T38.4X3** Poisoning by oral contraceptives, assault
 - T38.4X4** Poisoning by oral contraceptives, undetermined
 - T38.4X5** Adverse effect of oral contraceptives
 - T38.4X6** Underdosing of oral contraceptives

- **T38.5** Poisoning by, adverse effect of and underdosing of other estrogens and progestogens
Poisoning by, adverse effect of and underdosing of estrogens and progestogens mixtures and substitutes
- **T38.6** Poisoning by, adverse effect of and underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified
Poisoning by, adverse effect of and underdosing of tamoxifen
- **T38.7** Poisoning by, adverse effect of and underdosing of androgens and anabolic congeners
- **T38.8** Poisoning by, adverse effect of and underdosing of other and unspecified hormones and synthetic substitutes
- **T38.9** Poisoning by, adverse effect of and underdosing of other and unspecified antagonists
- T39** Poisoning by, adverse effect of and underdosing of nonopioid analgesics, antipyretics and antirheumatics
The appropriate 7th character is to be added to each code from category T39
A - initial encounter
D - subsequent encounter
S - sequela
- T39.3** Poisoning by, adverse effect of and underdosing of other nonsteroidal anti-inflammatory drugs [NSAID]
 - T39.31** Poisoning by, adverse effect of and underdosing of propionic acid derivatives
Poisoning by, adverse effect of and underdosing of fenoprofen
Poisoning by, adverse effect of and underdosing of flurbiprofen
Poisoning by, adverse effect of and underdosing of ibuprofen
Poisoning by, adverse effect of and underdosing of ketoprofen
Poisoning by, adverse effect of and underdosing of naproxen
Poisoning by, adverse effect of and underdosing of oxaprozin
 - T39.311** Poisoning by propionic acid derivatives, accidental (unintentional)
 - T39.312** Poisoning by propionic acid derivatives, intentional self-harm
 - T39.313** Poisoning by propionic acid derivatives, assault
 - T39.314** Poisoning by propionic acid derivatives, undetermined
 - T39.315** Adverse effect of propionic acid derivatives
 - T39.316** Underdosing of propionic acid derivatives
 - T39.39** Poisoning by, adverse effect of and underdosing of other nonsteroidal anti-inflammatory drugs [NSAID]
 - T39.391** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional)
Poisoning by other nonsteroidal anti-inflammatory drugs NOS
 - T39.392** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm
 - T39.393** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault
 - T39.394** Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined

T39.395 Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID]

T39.396 Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID]

- **T40** Poisoning by, adverse effect of and underdosing of narcotics and psychodysleptics [hallucinogens]

T42 Poisoning by, adverse effect of and underdosing of antiepileptic, sedative- hypnotic and antiparkinsonism drugs

Excludes2: drug dependence and related mental and behavioral disorders due to psychoactive substance use (F10.- - F19.-)

The appropriate 7th character is to be added to each code from category T42

A - initial encounter

D - subsequent encounter

S - sequela

T42.4 Poisoning by, adverse effect of and underdosing of benzodiazepines

T42.4X Poisoning by, adverse effect of and underdosing of benzodiazepines

T42.4X1 Poisoning by benzodiazepines, accidental (unintentional)
Poisoning by benzodiazepines NOS

T42.4X2 Poisoning by benzodiazepines, intentional self-harm

T42.4X3 Poisoning by benzodiazepines, assault

T42.4X4 Poisoning by benzodiazepines, undetermined

T42.4X5 Adverse effect of benzodiazepines

T42.4X6 Underdosing of benzodiazepines

- **T43** Poisoning by, adverse effect of and underdosing of psychotropic drugs, not elsewhere classified

T44 Poisoning by, adverse effect of and underdosing of drugs primarily affecting the autonomic nervous system

The appropriate 7th character is to be added to each code from category T44

A - initial encounter

D - subsequent encounter

S - sequela

T44.3 Poisoning by, adverse effect of and underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics
Poisoning by, adverse effect of and underdosing of papaverine

T44.3X Poisoning by, adverse effect of and underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics

T44.3X1 Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional)
Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics NOS

T44.3X2 Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm

T44.3X3 Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault

- T44.3X4** Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined
- T44.3X5** Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics
- T44.3X6** Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics

T45 Poisoning by, adverse effect of and underdosing of primarily systemic and hematological agents, not elsewhere classified

The appropriate 7th character is to be added to each code from category T45

- A - initial encounter
- D - subsequent encounter
- S - sequela

T45.0 Poisoning by, adverse effect of and underdosing of antiallergic and antiemetic drugs

Excludes1: poisoning by, adverse effect of and underdosing of phenothiazine-based neuroleptics (T43.3)

T45.0X Poisoning by, adverse effect of and underdosing of antiallergic and antiemetic drugs

T45.0X1 Poisoning by antiallergic and antiemetic drugs, accidental (unintentional)
Poisoning by antiallergic and antiemetic drugs NOS

T45.0X2 Poisoning by antiallergic and antiemetic drugs, intentional self-harm

T45.0X3 Poisoning by antiallergic and antiemetic drugs, assault

T45.0X4 Poisoning by antiallergic and antiemetic drugs, undetermined

T45.0X5 Adverse effect of antiallergic and antiemetic drugs

T45.0X6 Underdosing of antiallergic and antiemetic drugs

T45.1 Poisoning by, adverse effect of and underdosing of antineoplastic and immunosuppressive drugs

Excludes1: poisoning by, adverse effect of and underdosing of tamoxifen (T38.6)

T45.1X Poisoning by, adverse effect of and underdosing of antineoplastic and immunosuppressive drugs

T45.1X1 Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional)
Poisoning by antineoplastic and immunosuppressive drugs NOS

T45.1X2 Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm

T45.1X3 Poisoning by antineoplastic and immunosuppressive drugs, assault

T45.1X4 Poisoning by antineoplastic and immunosuppressive drugs, undetermined

T45.1X5 Adverse effect of antineoplastic and immunosuppressive drugs

T45.1X6 Underdosing of antineoplastic and immunosuppressive drugs

T45.2 Poisoning by, adverse effect of and underdosing of vitamins

Excludes2: poisoning by, adverse effect of and underdosing of nicotinic acid (derivatives) (T46.7)
 poisoning by, adverse effect of and underdosing of iron (T45.4)
 poisoning by, adverse effect of and underdosing of vitamin K (T45.7)

T45.2X Poisoning by, adverse effect of and underdosing of vitamins

T45.2X1 Poisoning by vitamins, accidental (unintentional)
 Poisoning by vitamins NOS

T45.2X2 Poisoning by vitamins, intentional self-harm

T45.2X3 Poisoning by vitamins, assault

T45.2X4 Poisoning by vitamins, undetermined

T45.2X5 Adverse effect of vitamins

T45.2X6 Underdosing of vitamins

Excludes1: vitamin deficiencies (E50-E56)

T45.5 Poisoning by, adverse effect of and underdosing of anticoagulants and antithrombotic drugs

T45.51 Poisoning by, adverse effect of and underdosing of anticoagulants

T45.511 Poisoning by anticoagulants, accidental (unintentional)
 Poisoning by anticoagulants NOS

T45.512 Poisoning by anticoagulants, intentional self-harm

T45.513 Poisoning by anticoagulants, assault

T45.514 Poisoning by anticoagulants, undetermined

T45.515 Adverse effect of anticoagulants

T45.516 Underdosing of anticoagulants

T45.52 Poisoning by, adverse effect of and underdosing of antithrombotic drugs
 Poisoning by, adverse effect of and underdosing of antiplatelet drugs

Excludes2: poisoning by, adverse effect of and underdosing of aspirin (T39.01-)
 poisoning by, adverse effect of and underdosing of acetylsalicylic acid (T39.01-)

T45.521 Poisoning by antithrombotic drugs, accidental (unintentional)
 Poisoning by antithrombotic drug NOS

T45.522 Poisoning by antithrombotic drugs, intentional self-harm

T45.523 Poisoning by antithrombotic drugs, assault

T45.524 Poisoning by antithrombotic drugs, undetermined

T45.525 Adverse effect of antithrombotic drugs

T45.526 Underdosing of antithrombotic drugs

T46 Poisoning by, adverse effect of and underdosing of agents primarily affecting the cardiovascular system

Excludes1: poisoning by, adverse effect of and underdosing of metaraminol (T44.4)

The appropriate 7th character is to be added to each code from category T46

A - initial encounter

D - subsequent encounter

S - sequela

- **T46.0** Poisoning by, adverse effect of and underdosing of cardiac-stimulant glycosides drugs of similar action

T46.1 Poisoning by, adverse effect of and underdosing of calcium-channel blockers

T46.1X Poisoning by, adverse effect of and underdosing of calcium-channel blockers

T46.1X1 Poisoning by calcium-channel blockers, accidental (unintentional)
Poisoning by calcium-channel blockers NOS

T46.1X2 Poisoning by calcium-channel blockers, intentional self-harm

T46.1X3 Poisoning by calcium-channel blockers, assault

T46.1X4 Poisoning by calcium-channel blockers, undetermined

T46.1X5 Adverse effect of calcium-channel blockers

T46.1X6 Underdosing of calcium-channel blockers

T46.2 Poisoning by, adverse effect of and underdosing of other antidysrhythmic drugs, not elsewhere classified

Excludes1: poisoning by, adverse effect of and underdosing of beta-adrenoreceptor antagonists (T44.7-)

T46.2X Poisoning by, adverse effect of and underdosing of other antidysrhythmic drugs

T46.2X1 Poisoning by other antidysrhythmic drugs, accidental (unintentional)
Poisoning by other antidysrhythmic drugs NOS

T46.2X2 Poisoning by other antidysrhythmic drugs, intentional self-harm

T46.2X3 Poisoning by other antidysrhythmic drugs, assault

T46.2X4 Poisoning by other antidysrhythmic drugs, undetermined

T46.2X5 Adverse effect of other antidysrhythmic drugs

T46.2X6 Underdosing of other antidysrhythmic drugs

- **T46.3** Poisoning by, adverse effect of and underdosing of coronary vasodilators

T46.4 Poisoning by, adverse effect of and underdosing of angiotensin-converting-enzyme inhibitors

T46.4X Poisoning by, adverse effect of and underdosing of angiotensin-converting-enzyme inhibitors

T46.4X1 Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional)
Poisoning by angiotensin-converting-enzyme inhibitors NOS

T46.4X2 Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm

T46.4X3 Poisoning by angiotensin-converting-enzyme inhibitors, assault

T46.4X4 Poisoning by angiotensin-converting-enzyme inhibitors, undetermined

T46.4X5 Adverse effect of angiotensin-converting-enzyme inhibitors

T46.4X6 Underdosing of angiotensin-converting-enzyme inhibitors

T46.5 Poisoning by, adverse effect of and underdosing of other antihypertensive drugs**Excludes2:** poisoning by, adverse effect of and underdosing of beta-adrenoreceptor antagonists (T44.7)

poisoning by, adverse effect of and underdosing of calcium-channel blockers (T46.1)

poisoning by, adverse effect of and underdosing of diuretics (T50.0-T50.2)

T46.5X Poisoning by, adverse effect of and underdosing of other antihypertensive drugs**T46.5X1** Poisoning by other antihypertensive drugs, accidental (unintentional)
Poisoning by other antihypertensive drugs NOS**T46.5X2** Poisoning by other antihypertensive drugs, intentional self-harm**T46.5X3** Poisoning by other antihypertensive drugs, assault**T46.5X4** Poisoning by other antihypertensive drugs, undetermined**T46.5X5** Adverse effect of other antihypertensive drugs**T46.5X6** Underdosing of other antihypertensive drugs**T47** Poisoning by, adverse effect of and underdosing of agents primarily affecting the gastrointestinal system

The appropriate 7th character is to be added to each code from category T47

A - initial encounter

D - subsequent encounter

S - sequela

T47.0 Poisoning by, adverse effect of and underdosing of histamine H2-receptor blockers**T47.0X** Poisoning by, adverse effect of and underdosing of histamine H2-receptor blockers**T47.0X1** Poisoning by histamine H2-receptor blockers, accidental (unintentional)
Poisoning by histamine H2-receptor blockers NOS**T47.0X2** Poisoning by histamine H2-receptor blockers, intentional self-harm**T47.0X3** Poisoning by histamine H2-receptor blockers, assault**T47.0X4** Poisoning by histamine H2-receptor blockers, undetermined**T47.0X5** Adverse effect of histamine H2-receptor blockers**T47.0X6** Underdosing of histamine H2-receptor blockers**T48** Poisoning by, adverse effect of and underdosing of agents primarily acting on smooth and skeletal muscles and the respiratory system

The appropriate 7th character is to be added to each code from category T48

A - initial encounter

D - subsequent encounter

S - sequela

T48.1 Poisoning by, adverse effect of and underdosing of skeletal muscle relaxants [neuromuscular blocking agents]**T48.1X** Poisoning by, adverse effect of and underdosing of skeletal muscle relaxants [neuromuscular blocking agents]

- T48.1X1** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional)
Poisoning by skeletal muscle relaxants [neuromuscular blocking agents] NOS
- T48.1X2** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm
- T48.1X3** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault
- T48.1X4** Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined
- T48.1X5** Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents]
- T48.1X6** Underdosing of skeletal muscle relaxants [neuromuscular blocking agents]

T48.5 Poisoning by, adverse effect of and underdosing of other anti-common-cold drugs
Poisoning by, adverse effect of and underdosing of decongestants

Excludes2: poisoning by, adverse effect of and underdosing of antipyretics, NEC (T39.9-)

poisoning by, adverse effect of and underdosing of non-steroidal antiinflammatory drugs (T39.3-)

poisoning by, adverse effect of and underdosing of salicylates (T39.0-)

T48.5X Poisoning by, adverse effect of and underdosing of other anti-common-cold drugs

T48.5X1 Poisoning by other anti-common-cold drugs, accidental (unintentional)
Poisoning by other anti-common-cold drugs NOS

T48.5X2 Poisoning by other anti-common-cold drugs, intentional self-harm

T48.5X3 Poisoning by other anti-common-cold drugs, assault

T48.5X4 Poisoning by other anti-common-cold drugs, undetermined

T48.5X5 Adverse effect of other anti-common-cold drugs
T48.5X6 Underdosing of other anti-common-cold drugs

T50 Poisoning by, adverse effect of and underdosing of diuretics and other and unspecified drugs, medicaments and biological substances

The appropriate 7th character is to be added to each code from category T50

A - initial encounter

D - subsequent encounter

S - sequela

T50.1 Poisoning by, adverse effect of and underdosing of loop [high-ceiling] diuretics

T50.1X Poisoning by, adverse effect of and underdosing of loop [high-ceiling] diuretics

T50.1X1 Poisoning by loop [high-ceiling] diuretics, accidental (unintentional)
Poisoning by loop [high-ceiling] diuretics NOS

T50.1X2 Poisoning by loop [high-ceiling] diuretics, intentional self-harm

T50.1X3 Poisoning by loop [high-ceiling] diuretics, assault

T50.1X4 Poisoning by loop [high-ceiling] diuretics, undetermined

T50.1X5 Adverse effect of loop [high-ceiling] diuretics

T50.1X6 Underdosing of loop [high-ceiling] diuretics

T50.2 Poisoning by, adverse effect of and underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

Poisoning by, adverse effect of and underdosing of acetazolamide

T50.2X Poisoning by, adverse effect of and underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

T50.2X1 Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional)
Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics NOS

T50.2X2 Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm

T50.2X3 Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault

T50.2X4 Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined

T50.2X5 Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

T50.2X6 Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics

Toxic effects of substances chiefly nonmedicinal as to source (T51-T65)

Note: When no intent is indicated code to accidental. Undetermined intent is only for use when there is specific documentation in the record that the intent of the toxic effect cannot be determined.

Use additional code(s):

for all associated manifestations of toxic effect, such as:

respiratory conditions due to external agents (J60-J70)
personal history of foreign body fully removed (Z87.821)
to identify any retained foreign body, if applicable (Z18.-)

Excludes1: contact with and (suspected) exposure to toxic substances (Z77.-)

T56 Toxic effect of metals

Includes: toxic effects of fumes and vapors of metals

toxic effects of metals from all sources, except medicinal substances

Use additional code to identify any retained metal foreign body, if applicable (Z18.0-, T18.1-)

Excludes1: arsenic and its compounds (T57.0)

manganese and its compounds (T57.2)

The appropriate 7th character is to be added to each code from category T56

A - initial encounter

D - subsequent encounter

S - sequela

T56.0 Toxic effects of lead and its compounds

T56.0X Toxic effects of lead and its compounds

- T56.0X1** Toxic effect of lead and its compounds, accidental (unintentional)
Toxic effects of lead and its compounds NOS
- T56.0X2** Toxic effect of lead and its compounds, intentional self-harm
- T56.0X3** Toxic effect of lead and its compounds, assault
- T56.0X4** Toxic effect of lead and its compounds, undetermined

Ch. 20: External causes of morbidity (V00-Y99)

Note: This chapter permits the classification of environmental events and circumstances as the cause of injury, and other adverse effects. Where a code from this section is applicable, it is intended that it shall be used secondary to a code from another chapter of the Classification indicating the nature of the condition. Most often, the condition will be classifiable to Chapter 19, Injury, poisoning and certain other consequences of external causes (S00-T88). Other conditions that may be stated to be due to external causes are classified in Chapters 1 to 18. For these conditions, codes from Chapter 20 should be used to provide additional information as to the cause of the condition.

ASHA Note: There is no national requirement for external cause code reporting. Mandatory reporting is subject to state-based mandates or payer requirements. However, providers are encouraged to voluntarily report.

ASHA Note: External cause codes are not listed in this product due to the volume of available codes in Chapter 20. For a complete listing of codes, see the official ICD-10-CM list at www.cdc.gov/nchs/icd/icd-10-cm.htm.

Ch. 21: Factors influencing health status and contact with health services (Z00-Z99)

Note: Z codes represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury, or external cause classifiable to categories A00-Y89 are recorded as 'diagnoses' or 'problems'. This can arise in two main ways:

Payers may not recognize **Z codes** for payment. Verify with your payer or facility first.

- a. When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.
- b. When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury.

This chapter contains the following blocks:

Z00-Z13: [Persons encountering health services for examinations](#)

Z20-Z29: [Persons with potential health hazards related to communicable diseases](#)

Z40-Z53: [Encounters for other specific health care](#)

Z55-Z65: [Persons with potential health hazards related to socioeconomic and psychosocial circumstances](#)

Z69-Z76: [Persons encountering health services in other circumstances](#)

Z77-Z99: [Persons with potential health hazards related to family and personal history and certain conditions influencing health status](#)

Persons encountering health services for examinations (Z00-Z13)

Note: Nonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.

Excludes1: examinations related to pregnancy and reproduction (Z30-Z36, Z39.-)

Z00 Encounter for general examination without complaint, suspected or reported diagnosis

Excludes1: encounter for examination for administrative purposes (Z02.-)

Excludes2: encounter for pre-procedural examinations (Z01.81-)
special screening examinations (Z11-Z13)

Z00.1 Encounter for newborn, infant and child health examinations

Z00.11 Newborn health examination

Health check for child under 29 days old

Use additional code to identify any abnormal findings

Excludes1: health check for child over 28 days old (Z00.12-)

Z00.110 Health examination for newborn under 8 days old

Health check for newborn under 8 days old

Z00.111 Health examination for newborn 8 to 28 days old

Health check for newborn 8 to 28 days old

Newborn weight check

Z00.12 Encounter for routine child health examination

Health check (routine) for child over 28 days old

Immunizations appropriate for age

Routine developmental screening of infant or child

Routine vision and hearing testing

Excludes1: health check for child under 29 days old (Z00.11-)
health supervision of foundling or other healthy infant or child
(Z76.1-Z76.2)
newborn health examination (Z00.11-)

Z00.121 Encounter for routine child health examination with abnormal findings

Use additional code to identify abnormal findings

Z00.129 Encounter for routine child health examination without abnormal findings

Encounter for routine child health examination NOS

Z01 Encounter for other special examination without complaint, suspected or reported diagnosis

Includes: routine examination of specific system

Note: Codes from category Z01 represent the reason for the encounter. A separate procedure code is required to identify any examinations or procedures performed

Excludes1: encounter for examination for administrative purposes (Z02.-)
encounter for examination for suspected conditions, proven not to exist (Z03.-)
encounter for laboratory and radiologic examinations as a component of general medical examinations (Z00.0-)
encounter for laboratory, radiologic and imaging examinations for sign(s) and symptom(s) - code to the sign(s) or symptom(s)

Excludes2: screening examinations (Z11-Z13)**Z01.1** Encounter for examination of ears and hearing

Z01.10 Encounter for examination of ears and hearing without abnormal findings
Encounter for examination of ears and hearing NOS

Z01.11 Encounter for examination of ears and hearing with abnormal findings

Z01.110 Encounter for hearing examination following failed hearing screening

Z01.118 Encounter for examination of ears and hearing with other abnormal findings

Use additional code to identify abnormal findings

Z01.12 Encounter for hearing conservation and treatment

Z01.8 Encounter for other specified special examinations

Z01.81 Encounter for preprocedural examinations

Encounter for preoperative examinations

Encounter for radiological and imaging examinations as part of preprocedural examination

Z01.818 may be an option for reporting pre-laryngectomy exams. Verify with the payer.

Z01.818 Encounter for other preprocedural examination

Encounter for preprocedural examination NOS

Encounter for examinations prior to antineoplastic chemotherapy

Z02 Encounter for administrative examination

Z02.0 Encounter for examination for admission to educational institution

Encounter for examination for admission to preschool (education)

Encounter for examination for re-admission to school following illness or medical treatment

Z02.1 Encounter for pre-employment examination

Z02.2 Encounter for examination for admission to residential institution

Excludes1: examination for admission to prison (Z02.89)

Z02.3 Encounter for examination for recruitment to armed forces

Z02.4 Encounter for examination for driving license

Z02.5 Encounter for examination for participation in sport

Excludes1: blood-alcohol and blood-drug test (Z02.83)

Z02.6 Encounter for examination for insurance purposes

Z02.7 Encounter for issue of medical certificate

Excludes1: encounter for general medical examination (Z00-Z01, Z02.0-Z02.6, Z02.8-Z02.9)

Z02.71 Encounter for disability determination

Encounter for issue of medical certificate of incapacity

Encounter for issue of medical certificate of invalidity

Z02.79 Encounter for issue of other medical certificate

Z04 Encounter for examination and observation for other reasons

Includes: encounter for examination for medicolegal reasons

This category is to be used when a person without a diagnosis is suspected of having an abnormal condition, without signs or symptoms, which requires study, but after examination and observation, is ruled-out. This category is also for use for administrative and legal observation status.

Z04.1 Encounter for examination and observation following transport accident

Excludes1: encounter for examination and observation following work accident (Z04.2)

Z04.2 Encounter for examination and observation following work accident

Z04.3 Encounter for examination and observation following other accident

Z04.8 Encounter for examination and observation for other specified reasons

Encounter for examination and observation for request for expert evidence

Z04.9 Encounter for examination and observation for unspecified reason

Encounter for observation NOS

○ **Z05** Encounter for observation and evaluation of newborn for suspected diseases and conditions ruled out

This category is to be used for newborns, within the neonatal period (the first 28 days of life), who are suspected of having an abnormal condition, but without signs or symptoms, and which, after examination and observation, is ruled out.

Z11 Encounter for screening for infectious and parasitic diseases

Screening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.

Excludes1: encounter for diagnostic examination-code to sign or symptom

Z11.5 Encounter for screening for other viral diseases

Excludes2: encounter for screening for viral intestinal disease (Z11.0)

Z11.52 Encounter for screening for COVID-19

Z13 Encounter for screening for other diseases and disorders

Screening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.

Excludes1: encounter for diagnostic examination-code to sign or symptom

Z13.4 Encounter for screening for certain developmental disorders in childhood

Encounter for development testing of infant or child

Encounter for screening for developmental handicaps in early childhood

Excludes2: encounter for routine child health examination (Z00.12-)

Z13.40 Encounter for screening for unspecified developmental delays

Z13.41 Encounter for autism screening

Z13.42 Encounter for screening for global developmental delays (milestones)

Encounter for screening for developmental handicaps in early childhood

Z13.49 Encounter for screening for other developmental delays

Z13.5 Encounter for screening for eye and ear disorders

Excludes2: encounter for general hearing examination (Z01.1-)

encounter for general vision examination (Z01.0-)

Z13.8 Encounter for screening for other specified diseases and disorders

Excludes2: screening for malignant neoplasms (Z12.-)

Z13.85 Encounter for screening for nervous system disorders

Z13.850 Encounter for screening for traumatic brain injury

Persons with potential health hazards related to communicable diseases (Z20-Z29)

Z20 Contact with and (suspected) exposure to communicable diseases

Excludes1: carrier of infectious disease (Z22.-)

diagnosed current infectious or parasitic disease -see Alphabetic Index

Excludes2: personal history of infectious and parasitic diseases (Z86.1-)

Z20.8 Contact with and (suspected) exposure to other communicable diseases

Z20.82 Contact with and (suspected) exposure to other viral communicable diseases

Z20.822 Contact with and (suspected) exposure to COVID-19

Contact with and (suspected) exposure to SARS-CoV-2

Encounters for other specific health care (Z40-Z53)

Categories Z40-Z53 are intended for use to indicate a reason for care. They may be used for patients who have already been treated for a disease or injury, but who are receiving aftercare or prophylactic care, or care to consolidate the treatment, or to deal with a residual state

Excludes2: follow-up examination for medical surveillance after treatment (Z08-Z09)

Z43 Encounter for attention to artificial openings

Includes: closure of artificial openings

passage of sounds or bougies through artificial openings

reforming artificial openings

removal of catheter from artificial openings

toilet or cleansing of artificial openings

Excludes1: artificial opening status only, without need for care (Z93.-)

complications of external stoma (J95.0-, K94.-, N99.5-)

Excludes2: fitting and adjustment of prosthetic and other devices (Z44-Z46)

Z43.0 Encounter for attention to tracheostomy

Z44 Encounter for fitting and adjustment of external prosthetic device

Includes: removal or replacement of external prosthetic device

Excludes1: malfunction or other complications of device - see Alphabetic Index

presence of prosthetic device (Z97.-)

Z44.8 Encounter for fitting and adjustment of other external prosthetic devices

Z44.9 Encounter for fitting and adjustment of unspecified external prosthetic device

Z45 Encounter for adjustment and management of implanted device

Includes: removal or replacement of implanted device

Excludes1: malfunction or other complications of device

Excludes2: encounter for fitting and adjustment of non-implanted device (Z46.-)

Z45.3 Encounter for adjustment and management of implanted devices of the special senses

Z45.32 Encounter for adjustment and management of implanted hearing device

Excludes1: Encounter for fitting and adjustment of hearing aid (Z46.1)

Z45.320 Encounter for adjustment and management of bone conduction device

Z45.321 Encounter for adjustment and management of cochlear device

Z45.328 Encounter for adjustment and management of other implanted hearing device

Z46 Encounter for fitting and adjustment of other devices

Includes: removal or replacement of other device

Excludes1: malfunction or other complications of device - see Alphabetical Index

Excludes2: encounter for fitting and management of implanted devices (Z45.-)

issue of repeat prescription only (Z76.0)

presence of prosthetic and other devices (Z95-Z97)

Z46.1 Encounter for fitting and adjustment of hearing aid

Excludes1: encounter for adjustment and management of implanted hearing device (Z45.32-)

Z51 Encounter for other aftercare and medical care

Z51.8 Encounter for other specified aftercare

Excludes1: holiday relief care (Z75.5)

Z51.89 Encounter for other specified aftercare

Use **Z51.89** to report **speech and language therapy encounters**, if specifically required by your facility or payer.

Persons with potential health hazards related to socioeconomic and psychosocial circumstances (Z55-Z65)

ASHA Note: Codes in section Z55-Z65 allow health care providers to report **social determinants of health (SDOH)**. SDOH codes are not listed in this resource due to the volume of available codes. For a complete listing of codes from this section, see ASHA's supplemental resource on ICD-10-CM codes related to SDOH at www.asha.org/Practice/reimbursement/coding/ICD-10/.

Persons encountering health services in other circumstances (Z69-Z76)

Z71 Persons encountering health services for other counseling and medical advice, not elsewhere classifiable

Excludes2: contraceptive or procreation counseling (Z30-Z31)
sex counseling (Z70.-)

Z71.0 Person encountering health services to consult on behalf of another person

Person encountering health services to seek advice or treatment for non-attending third party

Excludes2: anxiety (normal) about sick person in family (Z63.7)
expectant (adoptive) parent(s) pre-birth pediatrician visit (Z76.81)

Z71.1 Person with feared health complaint in whom no diagnosis is made
 Person encountering health services with feared condition which was not demonstrated
 Person encountering health services in which problem was normal state
 'Worried well'

Excludes1: medical observation for suspected diseases and conditions proven not to exist (Z03.-)

Z71.2 Person consulting for explanation of examination or test findings

Z72 Problems related to lifestyle

Excludes2: problems related to life-management difficulty (Z73.-)
 problems related to socioeconomic and psychosocial circumstances (Z55-Z65)

Z72.0 Tobacco use
 Tobacco use NOS

Excludes1: history of tobacco dependence (Z87.891)
 nicotine dependence (F17.2-)
 tobacco dependence (F17.2-)
 tobacco use during pregnancy (O99.33-)

Z72.4 Inappropriate diet and eating habits

Excludes1: behavioral eating disorders of infancy or childhood (F98.2.-F98.3)
 eating disorders (F50.-)
 lack of adequate food (Z59.4)
 malnutrition and other nutritional deficiencies (E40-E64)

Z73 Problems related to life management difficulty

Excludes2: problems related to socioeconomic and psychosocial circumstances (Z55-Z65)

Z73.8 Other problems related to life management difficulty

Z73.82 Dual sensory impairment

Z76 Persons encountering health services in other circumstances

Z76.5 Malingering [conscious simulation]
 Person feigning illness (with obvious motivation)

Excludes 1: factitious patient (F68.1-)
 peregrinating patient (F68.1-)

Persons with potential health hazards related to family and personal history and certain conditions influencing health status (Z77-Z99)

Code also any follow-up examination (Z08-Z09)

Z77 Other contact with and (suspected) exposures hazardous to health

Z77.1 Contact with and (suspected) exposure to environmental pollution and hazards in the physical environment

Z77.12 Contact with and (suspected) exposure to hazards in the physical environment

Z77.122 Contact with and (suspected) exposure to noise

○ **Z79** Long term (current) drug therapy

- **Z80** Family history of primary malignant neoplasm
- **Z81** Family history of mental and behavioral disorders
- Z82** Family history of certain disabilities and chronic diseases (leading to disablement)
 - Z82.2** Family history of deafness and hearing loss
Conditions classifiable to H90-H91
- Z83** Family history of other specific disorders
 - Excludes2:** contact with and (suspected) exposure to communicable disease in the family (Z20.-)
 - Z83.5** Family history of eye and ear disorders
Conditions classifiable to H00-H53, H55-H83, H92-H95
 - Excludes2:** family history of blindness and visual loss (Z82.1)
family history of deafness and hearing loss (Z82.2)
 - Z83.52** Family history of ear disorders
Conditions classifiable to H60-H83, H92-H95
 - Excludes2:** family history of deafness and hearing loss (Z82.2)
- Z85** Personal history of malignant neoplasm
 - Code first** any follow-up examination after treatment of malignant neoplasm (Z08)
 - Use additional** code to identify:
 - alcohol use and dependence (F10.-)
 - exposure to environmental tobacco smoke (Z77.22)
 - history of tobacco dependence (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
 - Excludes2:** personal history of benign neoplasm (Z86.01-)
personal history of carcinoma-in-situ (Z86.00-)
- **Z85.0 Personal history of malignant neoplasm of digestive organs**
 - Z85.1** Personal history of malignant neoplasm of trachea, bronchus and lung
 - Z85.12** Personal history of malignant neoplasm of trachea
Conditions classifiable to C33
 - Z85.2** Personal history of malignant neoplasm of other respiratory and intrathoracic organs
 - Z85.21** Personal history of malignant neoplasm of larynx
Conditions classifiable to C32
 - Z85.8** Personal history of malignant neoplasms of other organs and systems
Conditions classifiable to C00-C14, C40-C49, C69-C75, C7A.098, C76-C79
 - Z85.81** Personal history of malignant neoplasm of lip, oral cavity, and pharynx
 - Z85.810** Personal history of malignant neoplasm of tongue
 - Z85.818** Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx

Z85.819 Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx

Z86 Personal history of certain other diseases

Code first any follow-up examination after treatment (Z09)

Z86.0 Personal history of in-situ benign neoplasms and neoplasms of uncertain behavior

Excludes2: personal history of malignant neoplasms (Z85.-)

Z86.00 Personal history of in-situ neoplasm
Conditions classifiable to D00-D09

Z86.003 Personal history of in-situ neoplasm of oral cavity, esophagus and stomach
Conditions classifiable to D00

Z86.1 Personal history of parasitic and infectious diseases
Conditions classifiable to A00-B89, B99

Excludes1: personal history of infectious diseases specific to a body system
sequelae of infectious and parasitic diseases (B90-B94)

Z86.16 Personal history of COVID-19

Excludes1: post COVID-19 condition (U09.9)

Z86.19 Personal history of other infectious and parasitic diseases

Z86.5 Personal history of mental and behavioral disorders
Conditions classifiable to F40-F59

Z86.51 Personal history of combat and operational stress reaction

Z86.59 Personal history of other mental and behavioral disorders

Z86.6 Personal history of diseases of the nervous system and sense organs
Conditions classifiable to G00-G99, H00-H95

Z86.61 Personal history of infections of the central nervous system
Personal history of encephalitis
Personal history of meningitis

Z86.69 Personal history of other diseases of the nervous system and sense organs

Z87 Personal history of other diseases and conditions

Code first any follow-up examination after treatment (Z09)

Z87.7 Personal history of (corrected) congenital malformations
Conditions classifiable to Q00-Q89 that have been repaired or corrected

Z87.72 Personal history of (corrected) congenital malformations of nervous system and sense organs

Z87.721 Personal history of (corrected) congenital malformations of ear

Z87.73 Personal history of (corrected) congenital malformations of digestive system

Z87.730 Personal history of (corrected) cleft lip and palate

Z87.79 Personal history of other (corrected) congenital malformations

Z87.790 Personal history of (corrected) congenital malformations of face and neck

Report **Z86.16** for a **history of resolved COVID-19**, secondary to the treating diagnosis, when COVID-19 is a *factor* in the reason for the visit but is not the direct cause of the communication or swallowing disorder.

For **sequelae** of resolved COVID-19, see **U09.9**.

For **active** cases of COVID-19, see **U07.1**.

Z87.8 Personal history of other specified conditions**Excludes2:** personal history of self harm (Z91.5)**Z87.82** Personal history of other (healed) physical injury and trauma
Conditions classifiable to S00-T88, except traumatic fractures**Z87.820** Personal history of traumatic brain injury**Excludes1:** personal history of transient ischemic attack (TIA), and
cerebral infarction without residual deficits (Z86.73)**Z87.89** Personal history of other specified conditions**Z87.890** Personal history of sex reassignment**Z87.891** Personal history of nicotine dependence**Excludes1:** current nicotine dependence (F17.2-)**Z90** Acquired absence of organs, not elsewhere classified**Includes:** postprocedural or post-traumatic loss of body part NEC**Excludes1:** congenital absence**Z90.0** Acquired absence of part of head and neck**Z90.02** Acquired absence of larynx**Z90.09** Acquired absence of other part of head and neck
Acquired absence of nose**Excludes2:** teeth (K08.1)**Z91** Personal risk factors, not elsewhere classified**Excludes2:** contact with and (suspected) exposures hazardous to health (Z77.-)
exposure to pollution and other problems related to physical environment (Z77.1-)
female genital mutilation status (N90.81-)
occupational exposure to risk factors (Z57.-)
personal history of physical injury and trauma (Z87.81, Z87.82-)**Z91.1** Patient's noncompliance with medical treatment and regimen**Excludes 2:** caregiver noncompliance with patient's medical treatment and regimen
(Z91.A-)**Z91.11** Patient's noncompliance with dietary regimen**Code also,** if applicable, food insecurity (Z59.4-)**Z91.110** Patient's noncompliance with dietary regimen due to financial
hardship**Z91.118** Patient's noncompliance with dietary regimen for other reason
Inability to comply with dietary regimen**Z91.119** Patient's noncompliance with dietary regimen due to unspecified
reason**Z91.A** Caregiver's noncompliance with patient's medical treatment and regimen**Z91.A1** Caregiver's noncompliance with patient's dietary regimen
Caregiver's inability to comply with patient's dietary regimen**Code also,** if applicable, food insecurity (Z59.4-)

Z91.A10 Caregiver's noncompliance with patient's dietary regimen due to financial hardship

Z91.A18 Caregiver's noncompliance with patient's dietary regimen for other reason

Z92 Personal history of medical treatment

Excludes2: postprocedural states (Z98.-)

Z92.2 Personal history of drug therapy

Excludes2: long term (current) drug therapy (Z79.-)

Z92.21 Personal history of antineoplastic chemotherapy

Z92.22 Personal history of monoclonal drug therapy

Added **Excludes2:** personal history of immune checkpoint inhibitor therapy (Z92.26)

Z92.23 Personal history of estrogen therapy

Z92.24 Personal history of steroid therapy

Z92.240 Personal history of inhaled steroid therapy

Z92.241 Personal history of systemic steroid therapy
Personal history of steroid therapy NOS

Z92.25 Personal history of immunosuppression therapy

Excludes2: personal history of steroid therapy (Z92.24)

Z92.29 Personal history of other drug therapy

Z92.3 Personal history of irradiation

Personal history of exposure to therapeutic radiation

Excludes1: exposure to radiation in the physical environment (Z77.12)
occupational exposure to radiation (Z57.1)

Z93 Artificial opening status

Excludes1: artificial openings requiring attention or management (Z43.-)
complications of external stoma (J95.0-, K94.-, N99.5-)

Z93.0 Tracheostomy status

Z96 Presence of other functional implants

Excludes2: complications of internal prosthetic devices, implants and grafts (T82-T85)
fitting and adjustment of prosthetic and other devices (Z44-Z46)

Z96.2 Presence of otological and audiological implants

Z96.20 Presence of otological and audiological implant, unspecified

Z96.21 Cochlear implant status

Z96.22 Myringotomy tube(s) status

Z96.29 Presence of other otological and audiological implants
Presence of bone-conduction hearing device
Presence of eustachian tube stent
Stapes replacement

Z96.3 Presence of artificial larynx

Z97 Presence of other devices

Excludes1: complications of internal prosthetic devices, implants and grafts (T82-T85)

Excludes2: fitting and adjustment of prosthetic and other devices (Z44-Z46)
presence of cerebrospinal fluid drainage device (Z98.2)

Z97.4 Presence of external hearing-aid

Ch. 22: Codes for special purposes (U00-U85)

Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49)

U07 Emergency use of U07

U07.0 Vaping-related disorder

Dabbing related lung damage

Dabbing related lung injury

E-cigarette, or vaping, product use associated lung injury [EVALI]

Electronic cigarette related lung damage

Electronic cigarette related lung injury

Use additional code to identify manifestations, such as:

abdominal pain (R10.84)

acute respiratory distress syndrome (J80)

diarrhea (R19.7)

drug-induced interstitial lung disorder (J70.4)

lipoid pneumonia (J69.1)

weight loss (R63.4)

Report **U07.1** for **active cases of COVID-19**. Code the associated speech, language, communication, or swallowing disorder secondary to U07.1, when **directly** related to the virus.

U07.1 COVID-19

Use additional code to identify pneumonia or other manifestations, such as:
pneumonia due to COVID-19 (J12.82)

Use additional code, if applicable, for associated conditions such as:

COVID-19 associated coagulopathy (D68.8)

disseminated intravascular coagulation (D65)

hypercoagulable states (D68.69)

thrombophilia (D68.69)

Excludes2: coronavirus as the cause of diseases classified elsewhere (B97.2-)
pneumonia due to SARS-associated coronavirus (J12.81)

U09 Post COVID-19 condition

U09.9 Post COVID-19 condition, unspecified

Post-acute sequela of COVID-19

Note: This code enables establishment of a link with COVID-19.

This code is not to be used in cases that are still presenting with active COVID-19.

However, an exception is made in cases of re-infection with COVID-19, occurring with a condition related to prior COVID-19.

Code first the specific condition related to COVID-19 if known, such as:

chronic respiratory failure (J96.1-)

loss of smell (R43.8)

loss of taste (R43.8)

multisystem inflammatory syndrome (M35.81)

pulmonary embolism (I26.-)

pulmonary fibrosis (J84.10)

For cases on or after Oct. 1, 2021, use **U09.9** for **sequelae of resolved COVID-19**, secondary to the speech-language pathology diagnosis.

Use **Z86.16** for a history of resolved COVID-19, secondary to the speech-language pathology diagnosis. For **active** cases of COVID-19, see **U07.1**.

For more information, see bit.ly/coding-clinic-covid.

ICD-10-PCS (Procedure Coding System)

ICD-10 includes the ICD-10-CM (clinical modification) and ICD-10-PCS (procedure coding system). The ICD-10-PCS is a procedure classification published by the U.S. for classifying procedures performed in hospital inpatient health care settings only. ASHA's resources focus mostly on ICD-10-CM. Check with your facility on use of ICD-10-PCS if you work in an inpatient hospital setting.

For information about ICD-10-PCS, go to the CMS website at <https://www.cms.gov/medicare/coding-billing/icd-10-codes>.

The CMS resources include the *Official ICD-10-PCS Coding Guidelines* (www.cms.gov/files/document/2025-official-icd-10-pcs-coding-guidelines.pdf) to accompany and complement the official conventions and instructions provided within the ICD-10-PCS itself. The instructions and conventions of the classification take precedence over guidelines.

The *2025 ICD-10-PCS Code Tables and Index* (www.cms.gov/files/zip/2025-icd-10-pcs-code-tables-and-index-updated-07/09/2024.zip) contains the full list of codes. Refer to section **F - Physical Rehabilitation and Diagnostic Audiology** for speech-language pathology related codes.